

LAMPIRAN 19 hasil T test

Frequencies

		Statistics	
		sebelummenguna kanpenuntun	sesudahmenguna kanpenuntun
N	Valid	26	25
	Missing	0	1
Mean		3.42	5.52
Maximum		7	8

Frequency Table

Sebelum menggunakan penuntun					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	11	42.3	42.3	42.3
	3	4	15.4	15.4	57.7
	4	7	26.9	26.9	84.6
	6	1	3.8	3.8	88.5
	7	3	11.5	11.5	100.0
Total		26	100.0	100.0	

Sesudahmengunakanpenuntun					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	1	3.8	4.0	4.0
	3	3	11.5	12.0	16.0
	4	4	15.4	16.0	32.0
	5	4	15.4	16.0	48.0
	6	4	15.4	16.0	64.0
	7	5	19.2	20.0	84.0
	8	4	15.4	16.0	100.0
	Total	25	96.2	100.0	
Missing	System	1	3.8		

Sesudah menggunakan penuntun

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	1	3.8	4.0	4.0
	3	3	11.5	12.0	16.0
	4	4	15.4	16.0	32.0
	5	4	15.4	16.0	48.0
	6	4	15.4	16.0	64.0
	7	5	19.2	20.0	84.0
	8	4	15.4	16.0	100.0
	Total	25	96.2	100.0	
Missing	System	1	3.8		
Total		26	100.0		

T-Test

Paired Samples Statistics

		Mean	N	Std. Deviation	Std. Error Mean
Pair 1	sebelum menggunakan penuntun	3.42	26	1.677	.329
	sesudah menggunakan penuntun	5.42	26	1.837	.360

Paired Samples Correlations

		N	Correlation	Sig.
Pair 1	sebelum menggunakan penuntun & sesudah menggunakan penuntun	26	.861	.000

Paired Samples Test

	Paired Differences					t	df	Sig. (2-tailed)
	Mean	Std. Deviation	Std. Error Mean	95% Confidence Interval of the Difference				
				Lower	Upper			
Pair 1 sebelummenguna kanpenuntun - sesudahmenguna kanpenuntun	-2.000	.938	.184	-2.379	-1.621	-10.871	25	.000