

## PUSTAKA ACUAN

- Aak. 1989. *Kedelai*. Penerbit Kanisius. Jakarta. 83 hlm.
- Aksoy, O., A. Deveci, S. Kizihrmak, dan G.B. Akdeniz. 2013. Phytotoxic effect of quizalofop-p-ethyl on soybean (*Glycine max* L.). *Journal Biology Environmental Science*. 7(19):49-55
- Badan Pusat Statistik. 2013. *Produksi kedelai Indonesia*. Diakses pada 21 September 2014.
- Correia, N.M., L.T. Acra, dan G. Balieiro. 2015. *Chemical Control Of Different Digitaria insularis Populations and Management Of A Glyphosate Resistent Population*. Planta Daninha, Vicosa-MG. 33(1)93-101.
- Djojosumarto, P. 2008. *Pestisida dan Aplikasinya*. PT Agromedia Pustaka. Jakarta. 340 hlm.
- European Food Safety Authority. 2010. Modification of the existing MRLs for quizalofop-p in sunflower seed and cotton seed. *EFSA Journal*. 8(3): 1532.
- Irwan, A. 2006. *Budidaya Tanaman Kedelai*. Fakultas Pertanian Universitas Padjajaran. Jatinanggor, Jawa Barat. 43 hlm.
- Labrada, R., J.C. Caseley, dan C. Parker. 1994. *Weed Management For Developing Countries*. Food and Agriculture Organization Of The United Nations. Roma. 384 hlm.
- Mahakavi, T., R. Bakiyaraj, L. Baskaran, N. Rashid dan K.S. Ganesh. 2014. Effect of herbicide (quizalofop-p-ethyl) on growth photothosynthetic pigments, enzyme and yield responses of blackgram (*Vigna mungo* L.). *International Letters Of Natural Science*. 9:58-65.
- Marshall, M. 2014. *Weed Control In Soybean*. South Carolina Pest Management Handbook for Field Crops. 215-244.

- Mukhopadhyay, S., A. Bhattacharyya, dan S. Das. 2012. Fate and persistence of herbicide quizalofop-p-tefuryl on black gram. *Journal of crop an weed*. 8(1): 190-192.
- Mundra, S.L., dan P.L. Maliwal. 2012. Influence of quizalofop-p-ethyl on narrow-leaved weeds in blackgram and it residual effect on succeeding crops. *Indian Journal Of Weed Science*. 44(4):231-234.
- Nainwal, R.C., S.C. Saxena, dan V.P. Singh, 2010. Effect of pre and post emergence herbicide on weed investation and productivity of soybean. *Indian Journal Of weed Science*. 42 (1&2):17-20.
- Nurjannah, U. 2003. Pengaruh dosis herbisida glifosat dan 2,4-D terhadap pergeseran gulma dan tanaman kedelai tanpa olah tanah. *Jurnal ilmu-ilmu pertanian Indonesia*. 5:27-33.
- Rao, V.S. 2000. *Principles of Weed Science*. Science Publishers, Inc. USA. 555 hal.
- Sanjay, M.T., V.K.K Kumar, T.V.R. Prasad, dan P.T. Gowda. 2011. Evaluation of chlorimuron ethyl and quizalofop-p-tefuryl alone and in combination for weed Management in irrigated soybean. *Journal Of Crop and Weed*. 7(11):115-119
- Sembodo, D. R. J. 2010. *Gulma dan Pengelolaannya*. Graha Ilmu. Yogyakarta. 166 hlm.
- Sukman, Y dan yakup. 1995. *Gulma dan Teknik Pengendaliannya*. PT. Raja Grafindo Persada. Jakarta. 130 hlm.
- Suprpto, 1997. *Bertanam Kedelai*. Penebar Swadaya. Jakarta. 74 hlm.
- Tjitrosoedirdjo, S., I. H. Utomo, dan J. Wiroatmodjo. 1984. *Pengelolaan Gulma Di Perkebunan*. PT. Gramedia. Jakarta. 224 hlm.
- Tomar, A.S. 2011. Evaluation of quizalofop-p-tefuryl 4,41% EC against grassy weeds in black gram (*Vigna mungo* L.). *Journal Of Crop and Weed*. 7(1):140-141.
- Tomlin, C. D. S. 2011. *The e-Pesticides Manual version 3.0 (thirteenth edition)*. British Crop Protection Council.
- Triharso. 1994. *Dasar-dasar Perlindungan Tanaman*. Gajah Mada University Press. Yogyakarta. 362 hlm.

Widyatama, C. E, Tohari, dan Rohlan, R. 2010. Periode Kritis Kedelai Hitam (Glycine max L. Merrill) terhadap Gulma. *Skripsi*. Fakultas Pertanian Gadjah Mada, Yogyakarta.

Zimdahl, R.L. 2004. *Weed-Crop Competition*. Bkackwell Publishing. USA. 220 hlm.