

Appendix 14.

Normality Test

Case Processing Summary

Perlakuan		Cases					
		Valid		Missing		Total	
		N	Percent	N	Percent	N	Percent
Reading_Acv	Pretest	32	100.0%	0	.0%	32	100.0%
	posttest	32	100.0%	0	.0%	32	100.0%

Descriptives

Perlakuan			Statistic	Std. Error
Reading_Acv	Pretest	Mean	50.1563	1.46334
		95% Confidence Interval for Mean		
		Lower Bound	47.1718	
		Upper Bound	53.1407	
		5% Trimmed Mean	50.2431	
		Median	50.0000	
		Variance	68.523	
		Std. Deviation	8.27787	
		Minimum	30.00	
		Maximum	65.00	
		Range	35.00	
		Interquartile Range	10.00	
		Skewness	-.144	.414
		Kurtosis	-.234	.809
	posttest	Mean	84.2188	1.42184
		95% Confidence Interval for Mean		
		Lower Bound	81.3189	
		Upper Bound	87.1186	
		5% Trimmed Mean	84.2361	
		Median	85.0000	
		Variance	64.693	
		Std. Deviation	8.04317	
		Minimum	70.00	
		Maximum	100.00	
		Range	30.00	

Interquartile Range	10.00	
Skewness	-.126	.414
Kurtosis	-.719	.809

Tests of Normality

Perlakuan		Kolmogorov-Smirnov ^a			Shapiro-Wilk		
		Statistic	df	Sig.	Statistic	df	Sig.
Reading_Acv	Pretest	.133	32	.164	.956	32	.215
	posttest	.139	32	.120	.951	32	.158

a. Lilliefors Significance Correction