

## Lampiran 4

### Hasil Pengujian Normalitas

#### One-Sample Kolmogorov-Smirnov Test

		DPR	INSIDE R	DER	ROE
N		50	50	50	50
Normal Parameters <sup>a,b</sup>	Mean	.2413	.01432	1.2915	.1765
	Std. Deviation	.12885	.024581	1.09368	.13358
Most Extreme	Absolute	.096	.322	.186	.207
Differences	Positive	.096	.322	.186	.207
	Negative	-.065	-.292	-.133	-.130
Kolmogorov-Smirnov Z		.682	2.276	1.314	1.460
Asymp. Sig. (2-tailed)		.741	.000	.063	.028

a. Test distribution is Normal.

b. Calculated from data.

#### One-Sample Kolmogorov-Smirnov Test

		SQDPR	SQINSIDER	SQDER	SQROE
N		50	50	50	50
Normal Parameters <sup>a,b</sup>	Mean	.4707	.0892	1.0272	.3971
	Std. Deviation	.14199	.08063	.49118	.13862
Most Extreme	Absolute	.088	.318	.132	.135
Differences	Positive	.056	.318	.132	.135
	Negative	-.088	-.231	-.103	-.067
Kolmogorov-Smirnov Z		.624	2.247	.936	.954
Asymp. Sig. (2-tailed)		.832	.053	.344	.322

a. Test distribution is Normal.

b. Calculated from data.