

PUSTAKA ACUAN

- Ali, J.G., H.T. Alborn, & L.L. Stelinski. 2010. Subterranean herbivore-induced volatiles released by citrus root upon feeding by *Diaprepes abbreviatus* recruit entomophatogenic nematodes. *Journal of Chemical Ecology*. 36 : 361–368.
- Alphonsine, P.A.M., P. Fourmier, B. Dole, J.C. Govidin, P. Quénéhervé, & A. Soler. 2011. A bait and trap method for sampling symphytid population in pineapple. In: *Proceedings of 7th International Pineapple Symposium*. Abdullah, H., D.P. Bartholomew, & M.N. Latifah. (Eds). ISHS Acta Horticurturae. 902. p 357–362.
- Australian Faunal Directory (AFD). 2008. Species *Scutigerella immaculata* (Newport, 1845): garden symphytid. Australian Biological Resources Study. Australian Government. Departement of the Environment. [http://www.environment.gov.au/biodiversity/abrs/online resources/fauna/afd/taxa/Scutigerella_immaculata](http://www.environment.gov.au/biodiversity/abrs/online%20resources/fauna/afd/taxa/Scutigerella_immaculata). Diakses pada 8 Oktober 2015.
- Barnett, K & S.N. Johnson. 2013. Living in the soil matrix : abiotic factors affecting root herbivores. In: *Advances in Insect Physiology- Behavior and Physiology of Root Herbivores Volume 45*. Johnson, S.N., I. Hiltbold, & T.J. Turling. (Eds). Academic Press. London. p 1–52.
- Berry, R.E. & R.R. Robinson. 1974. Biology and control of the garden symphylans. In : *Extention Circular 845*. Oregon State University. Extention Service. Corvallis. p 1–9.
- Borowicz, V.A. 1997. A fungal root symbiont modifies plant resistance to an insect herbivore. *Oecologia*. 112: 534–542.
- Brown, M., M.V. Horn, M. Ambrosino, & J. Leap. 2001. Symphylans challange growers and researcher. The Center for Agroecology & Sustainable Food Systems (CASFS). *The Cultivar*. 19 (1): 1–3

- Burden, B. 2008. Symphylans (*Class Symphyla*). In : *Encyclopedia of entomology 2nd edition*. Capinera, J.L (Ed). Springer. Heidelberg. p 3667–3668.
- Camacho, M.D. 2009. Phylogeny of the *Sympyla* (*Myriapoda*). (*Dissertation*). Department of Biology, Chemistry and Pharmacy of Freie Universität Berlin. Madrid.
- Capinera, J.L. 2001. *Handbook of Vegetable Pests*. Academic Press. San Diego.
- Carr, P. 2003. *Garden symphylid (Scutigerella immaculata)*. Departement of Primary Industries VegCheque extention Program. Knoxfield.
- Coloma, A.G., M. Reina, C.E. Diaz, & B.M. Fraga. 2010. Natural product-based biopesticide for insect control. In: *Comprehensive Natural Products II : Chemistry & Biology. Vol 3. Development & modification*. Mander, L. & H-W.(Ben) Liu (Eds. in Cheif). Elsevier Ltd. London.p 237–268.
- Demarta, L., B.E. Hibbard, M.O. Bohn, I. Hiltbold. 2014. The role of root architecture in foraging behavior of entomopathogenic nematodes. *Journal of Invertebrate Pathology*. 20: 155–162.
- Edwards, C.A. 1990. Symphyla. In : *Soil biology guide*. Dindal, D.L. (Ed). A Wiley-Interscience Publication. John Wiley & Sons. New York.
- _____. 1958. The ecology of symphyla Part I. Population. *Entomologia Experimentalis et Applicata*. 1 : 308–319.
- _____. 1959a. The ecology of symphyla Part II. Seasonal soil migrations. *Entomologia Experimentalis et Applicata*. 2 : 257–267.
- _____. 1959b. Keys to the genera of the symphyla. *Journal of Linnean Society of London (Zoology)*. 44 : 164–169.
- _____. 1961. The ecology of symphyla Part III. Factors controlling soil distributions. *Entomologia Experimentalis et Applicata*. 4 : 239–256.
- Erb, M. & J. Lu. 2013. Soil abiotic factors influence interaction between belowground herbivores and plant roots. *Journal of Experimental Botany*. 64 (5): 1295–1303.
- Filinger, G.A. 1931. The Garden symphylid, *Scutigerella immaculata* Newport. *Ohio Agricultural Experimen Station Bulletin*. 486:1–33.
- Ghidiu, G.M. 2005. Garden Symphylans. *Fact Sheet 234 NJ Agricultural Experiment Station (NJAES) Rutger*. The State University of New Jersey. New Brunswick.

- Gange, A.C., V.K. Brown, & G.S. Sinclair. 1994. Reduction of black vine weevil larval growth by vesicular-arbuscular mycorrhizal infection. *Entomologia Experimentalis et Applicata*. 70: 115–119.
- Grant, J.A & M.G. Villani. 2003. Soil moisture effect on entomopathogenic nematodes. *Population Ecology*. 32 (1) : 80–87.
- Gregorich, E.G., L.W. Turchenek, M.R. Carter, & D.A. Angers. 2001. *Soil and Environmental Science Dictionary*. CRC Press. Boca Raton.
- Hansen, H.J. 1903. The genera and species of the order *Symphyla*. *Quarterly Journal of Microscopical Science*. 47 : 1–101.
- Hasibuan, R. 2003. *Pengendalian Hama Terpadu*. Penerbit Universitas Lampung. Bandarlampung.
- Hiltbold, I., E. Bernklau, L.B. Bjostad, N. Alvarez, N.E.M. Struttmann, J.G. Lundgren, & B.E. Hibbard. 2013. Nature, evolution and characterisation of rhizosperic chemical exudates affecting root herbivores. In: *Advances in Insect Physiology- Behavior and Physiology of Root Herbivores Volume 45*. Johnson, S.N., I. Hiltbold, & T.J. Turling. (Eds). Academic Press. London. p 97–157.
- Hiltbold, I., S. Toepfer, U. Kuhlmann, & T.C.J. Turling. 2010. How maize root volatiles effect the efficacy of entomopathogenic nematodes in controlling the western corn rootworm?. *Chemoecology*. 20 : 155-162.
- Hiltbold, I., & T.C.J. Turlings. 2008. Belowground chemical signaling in maize: when simplicity rhymes with efficiency. *Journal of Chemical Ecology*. 34: 628–635.
- Ibrahim, M.A., A. Stewart-Jones, J. Pulkkinen, G.M. Poppy, & J.K. Holopainen, 2008. The influence of different nutrient levels on insect-induced plant volatile in Bt and conventional oilseed rape plants. *Plant Biology*. 10: 97–107.
- Johnson, S.N., A.T. Barton, K.E. Clark, P.J. Gregory, L.S. McMenemy, & R.D. Hancock. 2011. Elevated atmospheric carbon dioxide impairs the performance of root feeding vine weevils by modifying root growth and secondary metabolites. *Global Change Biology*. 17 : 688–695.
- Joseph, S.K. 2001. Some Aspect of The Ecology and Biology of Symphyla. (*Thesis*). Departement of Zoology, N.S.S. Reserach Centre. N.S.S. College. Changanacherry.
- Koontz, R.F. 1968. Biological and ecological relationships of the fungus, *Entomophthora coronata* (Constantin) Kevorkian, and the garden

- symphylan, *Scutigerella immaculata* (Newport). (*PhD Dissertation*). Oregon State University. Corvallis.
- Koricheva, J., A.C. Gange, & T. Jones. 2009. Effect of mycorrhizal fungi on insect herbivore: A Meta-Analysis. *Ecology*. 90 (8) : 2088–2097.
- Michelbacher, A.E. 1938. The biology of the garden centipede *Scutigerella immaculata*. *Hilgardia* 11:55–148.
- Millet, Y.A., C.H. Danna, N.K. Clay, W. Songnuan, M.D. Simon, D. Werck-Reicchart, & F.M. Ausubel. 2010. Innate immune responses activated in arabidopsis roots by microbe-associated molecular patterns. *The Plant Cell*. 22: 973–990.
- Morais, J.W. de & E.P. da Silva. 2009. Occurrence of *Sympyla (Myriapoda)* in region of the Upper Solimões River, Amazonas, Brazil. *Pesquisa Agropecuária Brasileira*. 44 (8): 981–983.
- Morrison, H.E. 1961. Subsoiling aids symphytid control. Oregon State University. *Oregon Vegetable Digest*. X (4): 1–3.
- Mwaitulo, S., S. Haukeland, M.-G. Saethre, A. Laudisoit, & A.P. Maerere. 2011. First report of entomopathogenic nematodes from Tanzania and their virulence against larvae and adults of the banana weevil *Cosmopolites sordidus* (Coleoptera: Curculionidae). *International Journal of Tropical Insect Science*. 31(3) : 154–161.
- Ningrum, Z., B.T. Rahardjo, & H. Tarno. 2014. Kepadatan kepadatan symphytid pada berbagai kompos di pertanaman nanas (*Ananas comosus* L., Merr) PT Great Giant Pineapple. *Jurnal Hama dan Penyakit Tumbuhan*. 2 (3): 1–8.
- Oka, I.N. 2005. *Pengendalian Hama Terpadu dan Implementasinya di Indonesia*. Gadjah Mada University Press. Yogyakarta.
- Pai, C.G.A., & N.R. Prabhoo. 1991. Effect of forest fire on symphytid population in the Ponmudi Hill of Western Ghats. In: *Advance in Management and Conservation of Soil Fauna*. Veeresh, G.K., D. Rajagopal, & C.A. Viraktamath. (Eds). Oxford & IBH Publishing Co.Pvt.Ltd. New Delhi. p I.27–I.39
- Purnomo, H. 2010. *Pengantar Pengendalian Hayati*. Penerbit ANDI. Yogyakarta.
- Rasmann, S., T.G. Kollner, J. Degenhardt, I. Hiltpold, S. Toepfer, U. Kuhlmann, J. Gershenzon, & T.C.J. Turlings. 2005. Recruitment of entomopathogenic nematodes by insect damaged maize roots. *Nature*. 434 : 732–737.

- Rasmann, S., T.L. Bauerie, K. Poveda, & R. Vannette. 2011. Predicting root defence against herbivores during succession. *Functional Ecology*. 25 : 368–379.
- Rohrbach, K.G. & M.W. Johnson. 2003. Pest, diseases and weeds. In: *The Pineapple: Botany, Production and Uses*. D.P. Bartholomew, R.E. Paull, & K.G. Rohrbach. (Eds). CABI Publishing. New York.
- Rusydi, N.E., M. Basuki, & Purwito. 2012. Symphylids control in pineapple field in Indonesia. In: *Pineapple News. Newsletter of Pineapple Works Group*. International Society for Horticulture Science. Issue 19. p 39–41.
- Scheller, U. 1961. Studies on the symphytid fauna of the Hawaiian island. *Proceedings, Hawaiian Entomological Society*. 17 (3): 443–456.
- _____. 1988. Two new species of *Sympylida* from the Krakatau islands and the Ujung Kulon peninsula (*Myriapoda: Sympylida: Scolopendrellidae, Scutigerellidae*). *Philosophical Transactions of the Royal Society of London Biological Sciences*. 322: 401–411.
- Sembel, D.T. 2012. *Dasar-dasar Perlindungan Tanaman*. Penerbit ANDI. Yogyakarta.
- Seydel, C. 1999. Researcher seek organic solution to symphytan problem. The Center for Agroecology & Sustainable Food Systems (CASFS). *The Cultivar*. 17 (2): 4–5.
- Singh, J. 1991. Progress in soil zoology in India. In: *Advance in management and conservation of soil fauna*. Veeresh, G.K., D. Rajagopal, & C.A. Viraktamath. (Eds). Oxford & IBH Publishing Co.Pvt.Ltd. New Delhi. p I.27–I.39
- Soler, A., J.M. Gaude, P.A.M. Alphonsine, F. Vinatier, B. Dole, J.C. Govidin, P. Fournier, & P. Queneherv. 2011. Development and evaluation of new method for sampling and monitoring the symphytid population in pineapple. *Pest Management Science*. 67: 1169–1177.
- Susilo, F.X. 2013. *Buku Ajar. Aplikasi Statistika untuk Analisis Data Riset Proteksi Tanaman*. Anugrah Utama Raharja (AURA). Bandarlampung.
- Swenson, K.G. 1965. Infection of garden symphytan, *Scutigerella immaculata*, with The DD-136 Nematode. *Journal of Invertebrate Pathology*. 8:133–134.
- Szucsich, N.U., M. Pennerstorfer, & C.S. Wirkner. 2011. The mouthpart of *scutigerella immaculata*: correspondences and variation among serially homologous head appendages. *Arthropod Structure & Development*. 40 :105–121.

- Thom, W.O, & M. Utomo. 1991. *Manajemen Laboratorium dan Metode Analisis Tanah dan Tanaman*. Penerbit Universitas Lampung. Bandarlampung.
- Turling, T.C.J., I. Hiltbold, & S. Rasmann. 2012. The importance of root-produces volatile as foraging cues for entomopathogenic nematodes. *Plant Soil.* 358 : 51–60.
- Umble, J., R.Dufour, G. Fisher, J. Fisher, J. Leap, & M.V. Horn. 2006. *Sympylans: Soil pest management options*. ATTRA. National Center for Appropriate Technology (NCAT). Butte.
- Umble, J. R., & J.R . Fisher. 2003a. Influence of below-ground feeding by garden symphylans (Cephalostigmata: Scutigerellidae) on plant health. *Environmental Entomology*. 32 (5): 1251–1261.
- _____. 2003b. Suitability of selected crop and soil for garden symphylan population (Symphyla, Scutigerellidae: *Scutigerella immaculata* Newport). *Applied Soil Ecology* 24 : 151–163.
- Untung, K. 2006. *Pengantar Pengelolaan Hama Terpadu Edisi ke 2 (revisi)*. Gadjah Mada University Press. Yogyakarta.
- Waterhouse, J.S. 1969. An evaluation of a new predaceous centipede *Lamyctes* sp. on the garden symphylan *Scutigerella immaculata*. *The Canadian Entomologist*. 101 : 1081–1083.
- Wuyts, N., G. Lognay, L. Sagi, D. De Waele, & R. Swennen. 2005. Secondary metabolites in roots and implications for nematodes resistance in banana (*Musa* spp.). In: Banana Root System: Toward Better Understanding for Its Productive Management. *Proceeding of International Symposium*. Turner, D.W., & F. E. Rosales (Eds). International Network for The Improvement of Banana & Plantain. Montpellier. p 238–246.
- Zamioudis, C., & C.M.J. Pieterse. 2012. Modulation of host immunity by beneficial microbes. *Molecular Plant-Microbe Interaction*. 25 (2) : 139–150.