

DAFTAR PUSTAKA

- Badan Pusat Statistik. 2014. Produksi Padi Tahun 2014. <http://www.bps.go.id/brs/view/id/1122>. Diakses pada tanggal 13 Maret 2015.
- Carere, Carlo, R., Sparling, R., Cicek, N., dan Levin, D.B. 2008. Third Generation Biofuels via Direct Cellulose Fermentation. *Int Journal of Molecular Sciences*. Canada. 9: 1342-1360.
- Crestini, C., Crucianelli, M., Orlandi, M., Saladino, R. 2010. Oxidative Strategies In Lignin Chemistry: A New Environmental Friendly Approach For The Functionalisation Of Lignin And Lignocellulosic Fibers. *Catalysis Today*. 156: 8–22.
- Datta, R. 1981. Acidogenic Fermentation Of Lignocellulose Acid Yield And Conversion Of Components. *Biotechno Bioeng*. 23 : 2167-2170.
- Dewi, K.H. 2002. Hidrolisis Biomasa Limbah Hasil Pertanian Secara Enzimatik. *Akta Agrosia*. 5: 67-71.
- Direktorat Jendral Migas. 2009. Cadangan Minyak Bumi. <http://statistik.migas.esdm.go.id>. Diakses pada 14 Maret 2015.
- Direktorat Jendral Migas. 2014. Cadangan Minyak Bumi. <http://statistik.migas.esdm.go.id>. Diakses pada 14 Maret 2015.
- Dowe, N., dan McMillan, J. 2008. SSF Experimental Protocols — Lignocellulosic Biomass Hydrolysis and Fermentation: Laboratory Analytical Procedure. *National Laboratory of the U.S. Department of Energy*. <http://www.nrel.gov/biomass/pdfs/42630.pdf>. Diakses pada tanggal 17 Oktober 2014.
- ESDM. 2015. *Indonesia Energy Outlook*. Prokum.esdm.go.id/Publikasi/Hasil%20Kajian/ESDM%20IEO.pdf. Diakses pada tanggal 18 Maret 2015.

- Frazier, W. C. dan Westhoff, D. C. 1978. *Food Microbiology 4th Edition*. McGraw-Hill Book. New York.
- Gauss, W.F., Suzuki, S., dan Takagi, M. 1976. Manufacture of Alcohol from Celulosic Materials Using Plural Ferments. *BioResearch Center Company Limited*.
- Gomez, L.D., Steel-King, C.G., and Mc Queen-Mason, J. 2008. Sustainable Liquid Biofuels From Biomass: The Writing's On The Wall. *New Phytologist*. 178 : 473-485.
- Lee, H. V., S. B. A. Hamid, dan S. K. Zain. 2014. Conversion of Lignocellulosic Biomass to Nanocellulose: Structure and Chemical Process. *The Scientific World Journal 2014*.
- Hambali, E., Prihandana, R., Mujdalipah, S., dan Hendroko, R. 2007. *Meraup Untung dari Jarak Pagar*. Agromedia Pustaka. Jakarta.
- Hambali, E., Mujdalipah, S., Tambunan, A. H., Pattiwiri, A.W., dan Hendroko, R. 2008. *Teknologi Bioenergi*. Agromedia Pustaka. Jakarta.
- Hohmann, S., Krantz, M., dan Nordlander, B. 2007. Yeast Osmoregulation. *Methods in Enzymology*. No. 428 : 29-45.
- Howard R.L., Abotsi E., Jansen van Rensburg, E.L., dan Howard S. 2003. Lignocellulose Biotechnology: Issues Of Bioconversion And Enzyme Production. *African Journal of Biotechnol*. 2(12) : 602–619.
- Hoyer, K., Galbe, M., dan Zacchi, G. 2013. The Effect Of Prehydrolysis And Improved Mixing On High-Solids Batch Simultaneous Saccharification And Fermentation Of Spruce To Ethanol. *Process Biochemistry*. 48 (2) : 289-293.
- Humala, S. 2007. Analisa Logam Berat Timbal, Besi, Kadmium dan Zinkum dalam Lindi Hitam (Black Liquor) pada Industri Pulp Proses Kraft dengan Menggunakan Metode Spektrofotometri Serapan Atom (SSA). (Tesis) .Universitas Sumatera Utara. Medan.
- Kementrian ESDM. 2006. Peraturan Presiden Republik Indonesia Nomor 5 Tahun 2006 tentang Kebijakan Energi Nasional. http://psdg.bgl.esdm.go.id/kepmen_pp_uu/perpres%20no5%20tahun%202006.pdf. Diakses tanggal 15 Agustus 2014.
- Kim, S., dan Dale, B. E. 2004. Global Potential Bioethanol Production From Wasted Crops And Crop Residues. *Biomass and Bioenergy*. 26 : 361-375.

- Kister, H. Z. 1992. *Distillation Design*. McGraw-Hill. California. USA.
- Kristensen, J.B, Borjersson, B., Bruun, M.H., Tjerneld, F., dan Jorgensen H., 2007. Use of Surface Active Additives in Enzymatic Hydrolysis of Wheat Straw Lignocelluloses. *Enzyme and Microbial Technology Journal*. 40 (4) : 888-895.
- Kristensen, J.B., Felby, C., dan Jorgensen, H. 2009. Yield-Determining Factors In Highsolids Enzymatic Hydrolysis Of Lignocellulose. *Biotechnol Biofuels* 2.
- Lu, Jie., Xue, Z., Jian, Z., dan Qu, Y. 2012. Enzymatic Saccharification and Ethanol Fermentation of Reed Pretreated with Liquid Hot Water. *Journal of Biomedicine and Biotechnology* 2012.
- Mandels, M., Andreotti, R., dan Roche, C. 1976. Measurement of Saccharifying Cellulase. *Biotechnol Bioeng Symp*. 6 : 21-23.
- Masykuri. 2001. Identifikasi Mikroorganisme yang Memfermentasikan Susu Kerbau Lumpur Menjadi Dadih. *Pengembangan Peternakan Tropis Edisi Khusus Seminar Nasional Ruminansia*. 297-306.
- Mensonides, F. I. C., Schuurmans, J. M., de Mattos, M. J. T., Hellingwerf, K. J., dan Brul, S. 2002. The Metabolic Response Of *Saccharomyces Cerevisiae* To Continuous Heat Stress. *Molecular Biology Reports*. 29 : 103-106.
- Mergner, R., Janssen R., Rutz D., de Bari I., Sissot F., Chiaramonti D., Giovannini A., Pescarolo S., dan Nistri R. 2013. Lignocellulosic Ethanol Process and Demonstration. A Handbook Part I. *WIP Renewable Energies*. Munich.
- Miyafuji, H., Danner, H., Neureiter, M., Thomasser, C., and Braun, R. 2003. Effect of Wood Ash treatment Improving the Fermentability of Wood Hydrolysate. *Journal of Biotechnology and Bioengineerin*. 84 (3) : 390-393.
- Mulder, M. 1996, *Basic Principles of Membrane. Technology, 2nd ed*. Kluwer Academic Pub. Netherlands.
- Mussatto, S.I., dan Teixeira, J.A. 2010. Lignocellulose As Raw Material In Fermentation Processes. In: Méndez-VilasA(ed) Current Research, Technology And Education Topics In Applied Microbiology And Microbial Biotechnology 2. *Formatex Research Center*. Badajoz. 897–907.

- Odling-Smee, L. 2007. Biofuel Bandwagon Hits A Rut. *Nature*. 446:483.
- Ohgren, K., Bura, R., Saddler, J., dan Zacchi, G. 2007. Effect Of Hemicellulose And Lignin Removal On Enzymatic Hydrolysis Of Steam Pretreated Corn Stover. *Bioresource Technology*. 98 : 2503-2510.
- Olofsson, K., Bertilsson, M., dan Lidén, G. 2008. A Short Review on SSF- An Interesting Process Option For Ethanol Production From Lignocellulosic Feedstock. *BioMed Central Ltd*.
- Ouyang, J., Li, Z., Xin Li., Ying, H., dan Yong, Q. 2009. Enhanced Enzymatic Conversion And Glucose Production Via Two Step Enzymatic Hydrolysis Of Corn Cob Residue From Xylooligosaccharides Producer's Waste. *BioResources*. 4 : 1586–1599.
- Palmqvist, E. dan Hahn-Haegerdal, B. 2000. Fermentation of Lignocellulosic Hydrolysates. II: Inhibitors and Mechanisms of Inhibition. *Bioresource Technology*. 74 : 25-33.
- Perez, J., Munoz-Dorado, J., de la Rubia, T., dan Martinez, J. 2002. Biodegradation And Biological Treatment Of Cellulose, Hemicellulose, And Lignin: An Overview. *Int Microbiol*. 5: 53-63.
- Poedjiadi, A.1994. Dasar-Dasar Biokimia. UI Press. Jakarta.
- Rabinovich, M., Melnick, M.S. dan Bolobova, A.V. 2002. The Structure and Mechanism of Action of Cellulolytic Enzymes. *Biochemistry*. 67 : 850-871.
- Remli, N.A.M., Md Shah, U.K., Mohamad, R., dan Abd Aziz., S. 2014. Effect Of Chemical And Thermal Pretreatments On The Enzymatic Saccharification Of Rice Straw For Sugar Production. *BioResources*. 9 (1) : 510–522.
- Rodhe, A.V., Sateesh, L., Sridevi, J., Venkateswarlu, B., dan Venkateswar, L. 2011. Enzymatic Hydrolysis of Sorghum Straw Using Native Cellulose Produced by *T. Reesei* NCIM 992 Under Solid State Fermentation Using Rice Straw. *Biotech*. 1: 207–215.
- Safaria, S., Idiawati, N., dan Zaharah, T, A. 2013. Efektivitas Campuran Enzim Selulase Dari *Aspergillus niger* dan *Trichoderma reesei* dalam Menghidrolisis Substrat Sabut Kelapa. *JKK*. 2(1) : 46-51.
- Santi, G. 2012. Second Generation Bioethanol Production From Orange Peel Waste. (Disertasi). University Of Tuscia. Viterbo. Italia.

- Sanyoto, S.A. 2013. Dehidrasi Bioetanol dengan Menggunakan Molecular Sieve untuk Mendapatkan Bioetanol Fuel Grade. (Thesis). Universitas Muhammadiyah Purwokerto. Purwokerto.
- Samsuri, M., Gozan, M., Prasetya, B., dan Nasikin, M. 2009. Hydrolysis Of Bagassae By Cellulose And Xylanase For Bioethanol Production In Simultaneous Saccharification And Fermentation. *Journal of Appl and Industrial Biotech at Tropical Region 2*.
- Samsuri, M., Gozan, M., Mardias, R., Baiquni, M., Hermansyah, Prasetya, B., Nasikin, M., and Watanabe, T.. 2007. Ethanol Production From Bagasse With Combination Of Cellulose-Cellubiose In Simultaneous Saccharification And Fermentation (SSF) Using White Rot Fungi Pre-Treatment. *Journal of Chem and Nat Resources Engineering*. 3 : 20-32.
- Septiyani, R. 2011. Pengaruh Konsentrasi dan Lama Inkubasi Enzim Selulase terhadap Kadar Gula Reduksi Ampas Tebu. (Skripsi). Universitas Lampung. Bandar Lampung.
- Soerawidjaja, H.T. 2009. Bioetanol Generasi Kedua. <http://www.majarimagazine.com/2009/02/bioetanol-generasi-kedua/>. Diakses pada tanggal 20 November 2015.
- Srinorakutara, T., Subkaree, Y., Bamrungchue, N., Suttikul, S., Panphan, V., Pripanpong, P., Burapatana, V. 2012. The Effect Of High Solid Loading And Sulfuric Acid Pretreatment Following Commercial Cellulose Saccharification In 5L Fermenter On Reducing Sugar Concentration For Cellulosic Ethanol Production. *The 24th Annual Meeting of the Thai Society for Biotechnology Renewable Energy and Global Care*. Thai Society for Biotechnology (TSB). Thailand.
- Sudarmadji, S. 1984. *Prosedur Analisa Untuk Bahan Makanan dan Pertanian. Edisi Ketiga*. Liberty. Yogyakarta.
- Sun, Y., dan Cheng, J. 2002. Hydrolysis of Lignocellulosic Materials for Ethanol Production: A Review. *BioResource Technology Journal*. 83 (1) : 1-11.
- Sutikno, Hidayati, S., Nawansih, O., Nurainy, F., Rizal, S., Marniza., dan Arion, R. 2010. Tingkat Degradasi Lignin Bagas Tebu Akibat Perlakuan Basa Pada Berbagai Kondisi. <http://blog.unila.ac.id/sutiknounila/category/research-activities>. Diakses pada tanggal 23 Agustus 2013.

- Taherzadeh, M.J., dan Karimi, K. 2007. Acid-based hydrolysis processes for ethanol from lignocellulosic materials : A review. *BioResources*. 2 (3) : 472-499.
- Tengborg, C., Galbe, M., dan Zacchi, G. 2001. Influence Of Enzyme Loading And Physical Parameters On The Enzymatic Hydrolysis Of Steam-Pre-treated Softwood. *Biotechnol*. 17(1) : 110-117.
- Teugjas, H. dan Valjamae, P. 2013. Product Inhibition of Cellulases Studied with ¹⁴C-Labeled Cellulose Substrates. *Biotechnology for Biofuels* 6.
- Victor. 2010. Pembuatan Bioetanol dari Ubi Kayu (Manihot Utilissima Pohl.) dengan Jamur Aspergillus Awamori dan Ragi *Saccharomyces Cerevisiae*. (Skripsi). Universitas Sumatera Utara. Medan.
- Wasungu, K. 1982. Growth Characteristics Of Baker's Yeast In Ethanol. *Biotechnol Bioeng*. 24 : 1125–1134.
- Wingren, A., Galbe, M., dan Zacchi, G. 2003. Techno-Economic Evaluation of Producing Ethanol From Softwood: Comparison of SSF and SHF and Identification of Bottlenecks. *Biotechnol*. 19 (4) : 1109-1117.
- Yulianingsih, H. 2010. Hidrolisis Jerami Padi dengan Asam Sulfat Menjadi Glukosa Sebagai Bahan Baku Bioethanol Pengganti Bahan Bakar Minyak. (Skripsi). Teknologi Hasil Pertanian. Universitas Lampung. Bandar Lampung.