

UJI REGRESI LINIER SEDERHANA
HASIL IF-AT DENGAN HASIL BELAJAR SISWA

Variables Entered/Removed^b

Model	Variables Entered	Variables Removed	Method
1	IFAT ^a		Enter

a. All requested variables entered.

b. Dependent Variable: HasilBelajar

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Durbin-Watson
1	.420 ^a	.176	.150	10.35481	2.354

a. Predictors: (Constant), Hasil.IFAT

b. Dependent Variable: Hasil.Belajar

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	711.708	1	711.708	6.638	.015 ^a
	Residual	3323.882	31	107.222		
	Total	4035.591	32			

a. Predictors: (Constant), Hasil.IFAT

b. Dependent Variable: Hasil.Belajar

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-17.666	32.233		-.548	.588
	Hasil.IFAT	1.096	.425	.420	2.576	.015

a. Dependent Variable: Hasil.Belajar


Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	53.5692	73.6576	65.2485	4.71602	33
Std. Predicted Value	-2.477	1.783	.000	1.000	33
Standard Error of Predicted Value	1.804	4.878	2.453	.703	33
Adjusted Predicted Value	53.4948	73.1746	65.1890	4.76605	33
Residual	-20.59883	19.68138	.00000	10.19173	33
Std. Residual	-1.989	1.901	.000	.984	33
Stud. Residual	-2.079	2.027	.003	1.014	33
Deleted Residual	-22.49537	22.38811	.05948	10.82906	33
Stud. Deleted Residual	-2.204	2.141	.000	1.040	33
Mahal. Distance	.002	6.133	.970	1.272	33
Cook's Distance	.000	.283	.032	.058	33
Centered Leverage Value	.000	.192	.030	.040	33


a. Dependent Variable: Hasil.Belajar

Charts

Histogram



Normal P-P Plot of Regression Standardized Residual




$$Y = -17.666 + 1.096X.$$