

Uji Normalitas

One-Sample Kolmogorov-Smirnov Test

| | | vii1 | vii2 |
|-----------------------------------|------------------------|-------|-------|
| Normal Parameters ^{a, b} | N | 31 | 31 |
| | Mean | 69.10 | 64.81 |
| | Std. Deviation | 7.087 | 8.376 |
| Most Extreme Differences | Absolute | .190 | .137 |
| | Positive | .115 | .106 |
| | Negative | -.190 | -.137 |
| | Kolmogorov-Smirnov Z | 1.059 | .764 |
| | Asymp. Sig. (2-tailed) | .212 | .603 |

a. Test distribution is Normal.

b. Calculated from data.

Uji Independent Sample T-Test

Group Statistics

| | metode | N | Mean | Std. Deviation | Std. Error Mean |
|---------------|--------|----|-------|----------------|-----------------|
| hasil_belajar | vii1 | 31 | 69.10 | 7.087 | 1.273 |
| | vii2 | 31 | 64.81 | 8.376 | 1.504 |

Independent Samples Test

| | | Levene's Test for Equality of Variances | | t-test for Equality of Means | |
|---------------|-----------------------------|---|------|------------------------------|--------|
| | | F | Sig. | t | df |
| hasil_belajar | Equal variances assumed | 2.740 | .103 | 2.177 | 60 |
| | Equal variances not assumed | | | 2.177 | 58.398 |

Independent Samples Test

| | | t-test for Equality of Means | | |
|---------------|-----------------------------|------------------------------|-----------------|-----------------------|
| | | Sig. (2-tailed) | Mean Difference | Std. Error Difference |
| hasil_belajar | Equal variances assumed | .033 | 4.290 | 1.971 |
| | Equal variances not assumed | .034 | 4.290 | 1.971 |

Independent Samples Test

| | | t-test for Equality of Means | |
|---------------|-----------------------------|---|-------|
| | | 95% Confidence Interval of the Difference | |
| | | Lower | Upper |
| hasil_belajar | Equal variances assumed | .348 | 8.232 |
| | Equal variances not assumed | .346 | 8.234 |