

Tabel 5. Data pengaruh kebisingan terhadap viabilitas spermatozoa (%)

Ulangan	Perlakuan				
	P0	P1	P2	P3	P4
1	26,31	19,04	7,14	12,19	5,66
2	48	27,65	19,04	34,61	8,62
3	22,38	23,07	23,07	16,66	16,21
4	32,63	21,62	21,62	15	10,52
5	25	19,04	19,04	3,57	11,54
Σ	154,35	115,55	89,9	82	52,55
X	$30,86 \pm 10,37$	$23,11 \pm 6,30$	$17,98 \pm 3,18$	$16,40 \pm 11,30$	$10,51 \pm 9,92$

Tabel 6. Analisis varian pengaruh kebisingan terhadap viabilitas spermatozoa (%)

	Sum of Squares	df	Mean Square	F	Significance
Between Groups	1163.128	4	290.782	4.838	.007
Within Groups	1201.962	20	60.098		
Total	2365.089	24			

Tabel 7. Uji Beda Nyata terkecil pengaruh kebisingan terhadap viabilitas spermatozoa(%)

perlakuan	N	Subset for alpha = 0.05	
		1	2
5	5	10,5100*	
4	5	16,4060tn	16,4060tn
3	5	19,0160tn	19,0160tn
2	5	22,0840tn	22,0840tn
1	5		30,8640*
Significance		.179	.060