

DAFTAR PUSTAKA

- Australian Standards. 1989. *Refractories and Refractory Material Physical Test Method. 5: The Determination of Density, Porosity, and Water Absorbtion*. Standard Australian.
- Avvakumov, E.G. and Gusev, A.A. 1999. Cordierite as a Promising Ceramic Material. *Inorganic Materials*. 37: 868-869.
- Beltran, E. L., Prene, P., Boscher, C., Belleville, P., Buvat, P., Lambert, S., Guillet, F., Boissie're, C., Grosso, D., and Sanches, C. 2006. Nanostructure Hybrid Solar Cells Based on Self-assembled Mesoporous Titania Thin Films. *Journal Chemistry of Material*. 18: 6152-6165.
- Bharadwaj, A., Wang. Y., Sridhar, S., and Arunachalam V.S. 2004. Pyrolysis of Rice Husk. *Current Science*. 87: 981-986.
- Biasseto, Lisa. 2005. Functional Ceramic Foam from Pre ceramic Polymers. (Tesis). Università Bologna.
- Buchanan, R.C. 1986. *Ceramic Materials for Electronics, Processing, Properties, and Applications*. Marcel Bekker Inc. New York.
- Cannillo, V., Leonelli, C., Montorsi, M., and Romagnoli, P. 2003. Veronesi. Experimental Results dan Numerical Modelling of the Fracture Behavior of Ceramic Refractory Plates. *Tile and Brick Int*. 5: 324-327.
- Carey, J.W and Novrotsky, A. 1992. The Mollar Enthalpy of Dehydration of Cordierite. *American Minerologist, USA*. 77: 930-936.
- Charles, A.H. 2001. *Handbook of Ceramic glasses, and Diamonds*. Mc Graw Hills Company Inc. USA.
- Cohen, J. 1959. Electrical Conductivity of Alumina. *American Ceramic Society Bull*. 38: 441-46.
- Daifullah, A. A. M., Girgis, B. S., and Gad, H. M. H. 2002. Utilization of Agro-Residues (Rice Husk) in Small Waste Water Treatment Plans. *Material Letters*. 57: 1723-1731.

- Dordevic, N.G. and Jovanic, P.B. 2008. Influence of Mechanical Activation on Electrical Properties of Cordierite Ceramics. *Science of Sintering*. 40: 47-53.
- Douy, A. 1992. Organic Gels in the Preparation of Silicate Powders: Example of Mullite and Cordierite, In: *Chemical Processing of Advanced Materials*. ed. L. L Hench and J.K. West. Wiley. New York. Pp 585-594.
- Evans, D., Fischer, G.R., Geiger, J.E., and Martin, F.W. 1980. Thermal Expansions and Chemical Modifications of Cordierite. *Journal of American Ceramic Society*. 63: 629-634.
- Ewais, E.M.M., Ahmed, Y.M.Z., and Ameen, A.M.M. 2009. Preparation of Porous Cordierite Ceramic Using a Silica Secondary Resource (Silica Fumes) for dust Filtration Purpose. *Journal of ceramic Processing Research*. 10: 721-728.
- Fujiwara, S., Tamura, Y., Maki, H., Azuma, N., and Takeuchi, Y. 2007. Development of New High-Purity Alumina. *Sumitomo Kagaku*. 1: 1-9.
- Gernot, K. 1988. *High-Tech Ceramics*. Academic Press. Zurich. Pp 100-118.
- Goren, R., Ozgur, C., and Gocmez, H. 2005. The Preparation of Cordierite from Talc, Fly Ash, Fused Silica and Alumina Mixtures. *Ceramics International*. 32: 53-56.
- Griffin, B. J. and Riessen, V. A. 1991. *Scanning Electron Microscopy Course Note*. The University of Western Australia. Nedlands. Pp 1-8.
- Gunay, Esin. 2010. Sintering Behavior and Properties of Talc-Based Cordierite Composition with Boron Oxides Additions. *Journal of Ceramic Processing Research*. 11: 591-597.
- Hans K. S. 1992. Synthesis and Characterization of Low Thermal Expansion Cordierite. *ASEAN-Japan Seminar on Ceramics, Fine Ceramics*. Kuala Lumpur- Malaysia.
- Harsono, H. 2002. Pembuatan Silika Amorf dari Limbah Sekam Padi. *Jurnal Ilmu Dasar FMIPA Universitas Jember Jawa Timur*. 3: 98-102.
- Houston, D.F. 1972. Rice Chemistry and Technology. *American Association of Cereal Chemist*. Inc, Minnesota.
- Johar, B., Hasmaliza, M., and Arifin, A.Z. 2011. Densification and Crystallitation of Nonstoichiometric Cordierite Glass with Excess MgO Synthesized from Kaolin and Talc. *Journal of American Ceramic Society*. 94: 687-94.

- Junita, Erna. 2011. Pengaruh Suhu Sintering Terhadap Karakteristik Fisis Keramik Mullite Berbasis Silika Sekam Padi. (Skripsi). Universitas Lampung. Bandar Lampung. 16 pp.
- Kalapathy, U., A, Proctor., and J, Shultz. 2000. A Simple Method for Production of Pure Silica from Rice Hull Ash. *Bioresouce Technology*. 73: 257-262.
- Kartini, E. dan Collins, M.F. 2000. Physical B. No 213, p.276-278.
- Katsuki, H. 2005. ZSM-5 Zeolit/Porous Carbon Composite: Conventional and Microwave-Hydrothermal Syntesis from Carbonized Rice Husk. *Microporous and Mesoporous Materials*. 86: 145-151.
- Kingery, W.D., Bowen, H.K., and Uhlmann, D.R. 1976. *Introduction to Ceramic (2nd edition)*. John Wiley and Sons Inc. New York.
- Kopeliovich, Dimitri. 2010. Alumina Ceramics. Substances and Technologies. *2nd international conference on "High Tech Aluminas and Unfolding their Business Prospect"*. Kolkata. India.
- Kurama, H. and Kurama, S. 2006. The Reaction Kinetics of Rice Husk Based Cordierite Ceramics. *Ceramic International*. 34: 269-272.
- Li, Ye., Qian H., Xudong, C., Zhang, R., and Zhang, H. 2014. Fabrication of Dense Cordierite Ceramic Through Reducing Al₂O₃ Mole Ratio. *Materials Letters*. 116: 262-264.
- Magee, Chuck. 2010. *Cordierite*. <http://lablementlounge.blogspot.com/2010/08/cordierite.html>. Diakses pada 25 juni 2015 pkl. 10.32 WIB.
- Moulson, A. J. and Herbert, J.M. 2003. *Electroceramics 2nd Edition*. John Wiley & Sons Ltd, The Atrium. Shouthern Gate. Chichester. West Sussex PO19 8SQ. England.
- Mussler, B. H. and Shafer, M. W. 1989. Preparation and Properties of Mullite-Cordierite Composites. *Journal of American Ceramic Society*. 63: 705-710.
- Naskar, M.K. and Chatterjee, M. 2004. A Novel Process for The Synthesis of Cordierite (Mg₂A₁₄Si₅O₁₈) Powder from Rice Husk Ash Other Sources of Silica and Their Comparative Study. *Jurnal of European Ceramics Society*. 24: 3499-3505.
- NPG Asia Materials. 2009. *Nuclear Magnetic Resonance Reveals the Structure of Amorphous Aluminum Oxide*. <http://www.nature.com/am/journal/2009/200911/full/am2009228a.html>. Diakses pada 26 Juni 2015 pkl. 13.05 WIB.
- Nugraha, S. dan Jetty, S. 2001. *Peluang Agribisnis Arang Sekam*. Balitpasca. Jakarta.

- Nurhayati, S., Syarif, D.G., dan Setiawan, A. 2012. Pengaruh Suhu Sinter terhadap Karakteristik Keramik Calsia Stabilized Zirconia dengan Penambahan Natrium Karbonat Untuk Elektrolit Padat. *Jurnal Sains Indonesia*. 14: 99 – 102.
- Quakertown. 2007. High Precision Machining of Hard Materials. *Corderiete Information-Profided by Insaco*. USA. PA 18951-9006.
- Rada P., Janacovic D., Bozovic B., Zec, S., and Gvozdenovic, L.K.2011. Densification and Crystallisation Behaviours of Colloidal Cordierite Type Gels. *Journal Sebian Chemical Society*. 66: 335-343.
- Rahman, M.I.A. 1995. *Penggunaan Sekam Padi dalam Penghasilan Bahan Nitrida*. Abstrak. Balaipasca. Jakarta.
- Rana, A. P. S., Aiko, O., and Pask, J. A. 1982. Sintering of α -Al₂O₃/Quartz, and α -Al₂O₃/Cristobalite Related to Mullite Formation. *Ceramics International*. 8: 151-153.
- Sadeli, Y. dan Tobing, S.D.P.L. 2011. Pengruh Variasi Ukuran Partikel 10% Carbon Black pada Pelat Bipolar PEMFC dengan Grafit EAF. *Jurnal Ilmu Pengetahuan dan Teknologi TELAAH*. 29: 9-14.
- Salwa, A.M., Hameed, A., and Bakr, I.M., 2007. Effect of Alumina on Ceramic Properties of Cordierite Glass-Ceramic from Basalt Rock. *Journal of the European Ceramic Society*. 27: 1893-1897.
- Sciencedirect. 2012. *Ternary phase diagram for alumina, silica, and magnesia system*. <http://www.sciencedirect.com/science/article/pii/S0010938X12002661>. Diakses pada 22 juni 2015 pkl. 11.20 WIB.
- Sebayang, P., Muljadi, M., dan Ginting, M. 2007. Pengaruh Penambahan Serbuk Kayu terhadap Karakteristik Keramik Cordierite Berpori Sebagai Bahan Filter Gas Buang. *Jurnal Fisika Himpunan Fisika Indonesia*. 7 : 25-38.
- Sebayang, P., Tetuko, A. P., Khaerudini, D. S., Muljadi., dan Ginting, M. 2007. Efek Aditif 3Al₂O₃.2SiO₂ dan Suhu Sintering terhadap Karakteristik Keramik α -Al₂O₃. *Jurnal Fisika dan Aplikasinya*. 29: 0126-1533.
- Sembiring, S. dan Karo-Karo, P. 2008. Pengaruh Suhu Sintering terhadap Karakteristik Termal dan Mikrostruktur Silika Sekam Padi. *Jurnal Sains MIPA*.13: 233-239.
- Sembiring, S. dan Karo-Karo, P. 2007. Pengaruh Suhu Sintering terhadap Karakteristik Termal dan Mikrostruktur Silika Sekam Padi. *Jurnal Sains dan Teknologi*. Universitas Lampung.

- Sembiring, S. and Simajuntak, W. 2012. X-ray Diffraction Phase Analyses of Mullite Derived from Rice Husk Silica. *Makara Journal of Science*. 16: 77-82.
- Sembiring, S., Manurung, P., dan Karo-Karo, P. 2009. Pengaruh Suhu Tinggi Terhadap Karakteristik Keramik Cordierite Berbasis Silika Sekam Padi. *Jurnal Fisika dan Aplikasinya*. 5: 090107.
- Semitracks. 2014. *Backscatter Imaging*. Semitracks .Inc. <http://www.semitracks.com>. Diakses pada 26 Juni 2015 pkl. 14.07 WIB.
- Sijabat, Kaston. 2007. Pembuatan Keramik Paduan Cordierit ($2\text{MgO} \cdot 2\text{Al}_2\text{O}_3 \cdot 5\text{SiO}_2$)–Alumina (Al_2O_3) sebagai Bahan Refraktori dan Karakterisasinya. (Skripsi). Universitas Sumatera Utara. Sumatera Utara. 47 pp.
- Simanjuntak, W., Sembiring, S., Manurung, P., and Situmeang, R. 2013. Characteristics of Aluminosilicates Prepared from Rice Husk Silica and Aluminum Metal. *Ceramics International*. 38: 9369-9375.
- Siregar, Juliadi. 2008. Studi Analisis tentang Hubungan Suhu Sintering terhadap Karakter Keramik Berpori Cordierite ($2\text{MgO} \cdot 2\text{Al}_2\text{O}_3 \cdot 5\text{SiO}_2$) secara Simulasi dengan Program Mathematica 5.1. (Skripsi). Universitas Sumatera Utara. Sumatera Utara. 43 pp.
- Siriluk, C. and Yuttapong, S. 2005. Structure of Mesoporous MCM-41 Prepared from Rice Husk Ash. *The 8th Asian Symposium on Visualization*. Chiangmai. Thailand. Pp 1-7.
- Sitorus, B., Suendo, V., dan Hidyat, F. 2011. Sintesis Polimer Konduktif sebagai Bahan Baku untuk Penyimpan Perangkat Energi listrik. *ELKHA*. 3.
- Smith, F. W. 1990. *Principles of Material Science and Engineering*. Second Edition. McGraw-Hill, Inc. New York. 864 pp.
- Substech. 2015. *Scanning Electron Microscope*. http://www.substech.com/dokuwiki/lib/exe/detail.php?id=scanning_electron_microscope&cache=cach&media=electron_microscope.png. Diakses pada 24 Juni 2015 pkl. 13.14 WIB.
- Suka, I.G., Simanjuntak, W., Sembiring, S., dan Trisnawati, E. 2008. Karakterisasi Silika Sekam Padi dari Provinsi Lampung yang diperoleh dengan Metode Ekstraksi. *MIPA Unila*. 37: 47-52.
- Surdia, T dan Saito, S. 2000. *Pengetahuan Bahan Teknik*. Pradanya Pramita. Jakarta.

- Suzuki, H., Ota, K., and Saito, H. 1987. Preparation of Cordierite Ceramics from Metal Alkoxides. *Journal of Ceramic Society*. 95: 163-169.
- Suzuki, H., Saito, H., and Hayashi, T. 1992. Thermal and Electrical Properties of Alkoxy-Derived Cordierite Ceramics. *Journal of the European Ceramics*. 9: 365-371.
- Timmings, R.L. 1991. *Engineering Materials*. Longman Limited. London. Pp 583-605.
- Vlack, V. 1994. *Ilmu dan Teknologi Bahan (Ilmu Logam dan Non Logam)*, Edisi kelima. Alih Bahasa Sriati Djaprie. Fak. Teknik Metalurgi. Universitas Indonesia. Cetakan ke-empat Erlangga. Jakarta.
- Worrall, W.E. 1986. Clay and Ceramics Raw. *Elsevier Scientific Publishing Company*. London. 4: 3-7.
- Yan, Wen., Li, Nan., and Han, B. 2010. Effect of Sintering Temperature on Pore Characterization and Strength of Porous Corundum-Mullite Ceramics. *Journal of Ceramic Processing Research*. 11: 388-391.
- Zhang, L., Ferreira, J.M.F., Olhero, S., Courtois, L., Zhang, T., Maire, E., and Rauhe, J.C. 2012. Modeling the Mechanical Properties of Optimally Processed Cordierite-Mullite-Alumina Ceramic Foams by X-ray Computed Tomography and Finite Element Analysis. *Acta Materialia*. 60: 4235-4246.