

## **DAFTAR PUSTAKA**

- Al-Shoumer, K. A.S., Vasanthy, B. A.K., Makhlof, H. A. et al. (2000). ‘Leptin levels in Arabs with primary hyperthyroidism’. Annals of Saudi Medicine, Vol 20, No 2.
- Agustini, Z., Wahyuni, E. S., & Nila, F. (2013). ‘Hubungan asupan lemak (lemak jenuh, tak jenuh, kolesterol) dan natrium terhadap tekanan darah pada pasien hipertensi di Poli Penyakit Dalam RSP Batu Universitas Brawijaya’.
- Andry, Saryono & Upoyo, A. S. (2009). ‘Analisis faktor – faktor yang mempengaruhi kadar asam urat pada pekerja kantor di Desa Karang Turi, Kecamatan Bumiayu,Kabupaten Brebes’. Jurnal Keperawatan Soedirman, 4(1), 24-31.
- Annemans, L., Spaepen, E., Bonnemaire, M et al., (2008). ‘Gout in the UK and Germany: prevalence, comorbidities and management in general practice 2000-2005’. Ann Rheum Dis; 67:960–966.
- Avram, Z & Krishnan, E. (2008). ‘Hyperuricaemia- where nephrology meets rheumatology’. Journal Rheumatology 47: 960-964.
- Bahathiq, Adil O.S. (2010). ‘Relationship of Leptin Hormones with Body Mass Index and Waist Circumference in Saudi Female Population of the Makkah Community’. The Open Obesity JournaL 2, 95-100.

Budianti, A. (2008). ‘Status gizi dan riwayat kesehatan sebagai determinan hiperurisemia’. Skripsi. Bogor: Institute Pertanian Bogor.

Bushra, R & Aslam, N. (2010). ‘An overview of clinical pharmacology of ibuprofen’.. Oman Medical Journal Volume 25, Issue 3

Bobak, I.M., Lowdermilk, D.L., & Jensen, M.D. (2005). Buku ajar keperawatan maternitas. Jakarta: Buku Kedokteran EGC.

Bravo, Paco E., Morse, Stephen., Borne, David M., et al. (2006). Leptin and hypertension in obesity. Vascular Health and Risk Management 2(2)163-169.

Carlioglu, A., Karakurt, F., Maral,S et al.,. (2011). Serum uric acid level in obese woman. The New Journal Of Medicine 28, 34-37.

Cirelli, C & Tononi, G. (2008). Is sleep essential?. Journal plos biology vol 6, issue 6.

Chan, D. F. Y ., Li, A. M., So, H. K et al., (2009). New skinfold-thickness equation for predicting percentage body fat in Chinese obese children. HK J Paediatr (new series) 14:96-102.

Choi, H. K., Willett, W & Curhan, G. (2007). Coffee consumption and risk of incident gout in men a prospective study. Arthritis & Rheumatism Vol. 56, No. 6, pp 2049–2055.

Doherty, M. (2009). New insights into the epidemiology of gout. Rheumatology, 48, 2-8.

Emery, P., Salmon, M & Gooi, J. (1996). Relation between fractional urate excretion and serum triglyceride concentrations. Ann Rheum Dis 55:934-936.

Eston, R. G., Fu, F., & Fung, L. (1995). Validity of conventional anthropometric techniques for predicting body composition in healthy Chinese adults. Br. J. Sp. Med, 29(1), 52-56.

Fam, A.G. (2002). Gout, diet, and the insulin resistance syndrome. The Journal of Rheumatology 29:7.

Festy, P., H., A. R., & Aris, A. (2010). Hubungan antara pola makan dengan kadar asam urat darah pada wanita postmenopause di Posyandu Lansia Wilayah Kerja Puskesmas Dr. Soetomo Surabaya. Skripsi. Surabaya: Fakultas Ilmu Kesehatan UM Surabaya.

Friedman, Jeffrey M. (2002). The function of leptin in nutrition, weight, and physiology. Nutrition Reviews Vol. 60, No. 10.

Ganong, W. F. (2008). Buku ajar fisiologi kedokteran (22 ed.). Jakarta: Buku Kedokteran EGC.

Grueso, E., Rocha, M & Puerta, M. (2001). Plasma and cerebrospinal fluid leptin levels are maintained despite enhanced food intake in progesterone-treated rats. European Journal of Endocrinology 144 659±665.

Hak, A Elisabeth & Choi, Hyon K. (2008). Menopause, postmenopausal hormone use and serum uric acid levels in US women – the third national health and nutrition examination survey. Arthritis Research & Therapy Vol 10 No 5.

Hanna, Bassam E., Hamed, Jamal M & Touhala, Luma M.(2008). Serum Uric Acid in Smokers. Oman Medical Journal, Volume 23, Issue 4.

Hayani M & Widyaningsih W. (2011). Efek ekstrak etanol herba putri malu (*Mimosapudica*, l) sebagai penurun kadar asam urat serum mencit jantan galur swiss. Fakultas Farmasi Universitas Ahmad Dahlan Yogyakarta.

Hazleman, B., Riley, G., & Speed, C. (2004). Soft tissue rheumatology Oxford: Oxford University Press.

Hensen & Putra T. R. (2007). Hubungan konsumsi purin dengan hiperurisemia padan Suku Bali di Daerah Pariwisata Pedesaan. J Peny Dalam, Volume 8 Nomor 1.

Indriati, E. (2010). Antropometri untuk kedokteran, keperawatan, gizi dan olahraga. Yogyakarta: PT. Citra Aji Parama.

Keijzers, G. B., Galan B. E. D, Tack, C. J., et al. (2002). Caffeine Can Decrease Insulin Sensitivity in Humans. Diabetes Care volume 25, number 2.

Kim, J.H., Gil,H.W., Yang,J.O et al. (2011). Serum uric acid level as a marker for mortality and acute kidney injury in patients with paraquat intoxication. Oxford Journals 26: 1846-1852.

Kim, T. H., Lee, Seong. S., Yoo, Ji Han., et al. (2012). The relationship between the regional abdominal adipose tissue distribution and the serum uric acid levels in people with type 2 diabetes mellitus. Diabetology & Metabolic Syndrome

Kono, H., Rusyn I., Uesugi, T., et al., (2001). Diphenyleneiodonium sulfate, anNADPH oxidase inhibitor, prevents early alcohol-induced liver injury in the rat. Am J Physiol Gastrointest Liver Physiol 280: G1005–G1012.

Kumalasari, T. S., Saryono., Purnawan, I. (2009). Hubungan indeks massa tubuh dengan kadar asam urat darah pada penduduk Desa Banjaranyar Kecamatan

Sokaraja. Skripsi. Jurnal Keperawatan Soedirman (The Soedirman Journal of Nursing), Volume 4, No.3.

Kuo, C. S., Hwu, C. M., Lin, Y. H., Huang, Y. H., Kao, W. Y., Weih, M. J., .How, L.T. (2002). Portable electrochemical blood uric acid meter. Journal of Clinlcal Laboratory Analyaim, 16, 109-114.

Lawrence, R.C., Felson, D.T., Helmick, C.G., (2008). Estimates of the prevalence ofnarthritis and other rheumatic conditions in the United States, Part II. Arthritis Rheum; 58(1): 26–35.

Le, Yen-Chi L., Rahman, M & Berenson, Abbey B. (2009). Early weight gain predicting later weight gain among depot medroxyprogesterone acetate users. Obstet Gynecol 114(2 Pt 1): 279–284.

Liu B, W. T., Zhao HN, Yue WW, Yu HP, Liu CX, Yin J, Jia RY and Nie HW. (2011). The prevalence of hyperuricemia in China: a meta-analysis. BMC Public Health, 11(832).

Lumongga, F. (2007). Atherosclerosis. Medan: Universitas Sumatera Utara.

Macedo, D. V., Lazarim, F. L., Silva, F. O. C., et al. (2009). Is lactate production related to muscular fatigue? A pedagogical proposition using empirical facts. Advances in Physiology Education vol 33.

Manampiring, A.E., (2011). Prevalensi hiperurisemia pada remaja obesitas di Kota Tomohon. Manado: Universitas Sam Ratulangi.

Marks, D. B., Marks, A. D., & Smith, C. M. (2000). Biokimia kedokteran dasar : sebuah pendekatan klinis (1 ed.). Jakarta: Buku Kedokteran EGC.

McClory, J & Said, N. (2009). Gout In Women. Medicine & health vol. 92 No. 11.

Misnadiarly. (2007). Rematik: Asam urat hiperurisemia arthritis gout (1 ed.). Jakarta: Pustaka Obor Populer.

Mouhamed, D. H., Ezzaher, A., Neffati, F., et al. (2011). Effect of cigarette smoking on plasma uric acid concentrations. Environ Health Prev Med 16:307–312.

Mujur, A. (2011). Hubungan antara pola makan dan aktivitas fisik dengan kejadian berat badan lebih pada remaja. Artikel Ilmiah. Semarang: Universitas Diponegoro.

Murray, R. K., Granner, D. K., & Rodwell, V. W. (2009). Biokimia harper (27 ed.). Jakarta: Buku Kedokteran EGC.

Nasrul, E., & Sofitri. (2012). Hiperurisemia pada pra diabetes. Jurnal Kesehatan Andalas, 1(2).

Paracchini, V., Pedotti, P., & Taioli, E. (2005). Genetics of Leptin and Obesity: A HuGE Review. American Journal of Epidemiology 162:101–114.

Peterson, Matthew. J., Czerwinski, Stefan. A & Siervogel, Roger. M. (2003). Development and validation of skinfold-thickness prediction equations with a 4-compartment model. Am J Clin Nutr 77:1186–91.

Price, S. A., & Wilson, L. M. (2006). Patofisiologi konsep klinis proses – proses penyakit (6 ed. Vol. 2). Jakarta: Buku Kedokteran EGC.

Prihatiningsih, B. (2008). Mikroenkapsulasi ibuprofen dengan penyalut poli (asam laktat). Skripsi. Bogor: Institute Pertanian Bogor.

Proverawati A. 2010. Obesitas dan Gangguan Perilaku Makan pada Remaja. Yogyakarta: Nuha Medika.

Purwaningsih, T. (2009). Faktor- faktor risiko hiperurisemia. Semarang: Universitas Diponegoro.

Retnaningsih, E. (2010). Model prediksi prevalensi obesitas pada penduduk umur diatas 15 Tahun di Indonesia. *Jurnal Pembangunan Manusia* 1(1).

Ruhl, Constance. E and Everhart, James. E.(2001). Leptin concentrations in the United States: relations with demographic and anthropometric measures. *Am J Clin Nutr* 74:295–301.

Ryu, S., Chang, Y., Zhang, Y., et al,. (2011). A cohort study of hyperuricemia in middle-aged South Korean men. *American Journal of Epidemiology* 175(2).

Sandjaja, & Sudikno. (2005). Prevalensi gizi lebih dan obesitas penduduk dewasa di Indonesia. *Jurnal Gizi Indonesia*, 31, 1-7.

Sargowo, D., & Andarini, S. (2011). The relationship between food intake and adolescent metabolic syndrome. *Jurnal Kardiologi Indonesia*, 32(1), 14-23.

Saryono. (2009). Metodologi penelitian kesehatan. Jogjakarta: Mitra Cendikia.

Sawello, Meirlyn. A & Malonda, Nancy. S. (2012). Analisis aktivitas ringan sebagai faktor risiko terjadinya obesitas pada remaja di Sekolah Menengah Pertama Negeri 1 Manado. Skripsi. Manado: Universitas Sam Ratulangi Fakultas Kesehatan Masyarakat.

Setyohadi, R.,et al. (2013). Hubungan antara diet rendah kalori, aktivitas fisik dan pola makan terhadap penurunan berat badan pada Persit Ranting 2 Denma Divif 2 Kostrad. Skripsi. Malang: Universitas Brawijaya.

Shakeryan, S., Nikbakht, M., & Kashkoli, H. B. (2013). Validation of percent body fat using skinfold-thickness, bioelectrical impedance analysis and standard hydrostatic method in male wrestlers. *Journal of Public Health and Epidemiology*, 5(1), 15-19.

Shetty, S., Bhandary, R. R., & Kathyayini. (2011). Serum uric acid as obesity related indicator in young obese adults. *Research Journal of Pharmaceutical, Biological and Chemical Sciences*, 2(2), 1-6.

Sorensen, Thorkild. IA., Echwald, Soren. M & Holm, Jens-Christian.(1996). Leptin in obesity. *BMJ* volume 313.

Sudikno., Herdayati, M & Besral. (2010). Hubungan aktivitas fisik dengan kejadian obesitas pada orang dewasa di Indonesia (Analisis Data Riskesdas 2007). *Gizi Indon* 33(1):37-49.

Sudoyo, A. W., Setiyoadi, B., Alwi, I., K, M. S., & Setiati, S. (2010). Buku ajar ilmu penyakit dalam (V ed.). Jakarta: EGC Internal Publishing.

Sugiyono. (2010). Statistik untuk penelitian. Bandung: Alfabeta.

Sustrani, L., Alam, S., & Broto, I. H. (2006). Asam urat. Jakarta: PT. Gramedia Pustaka Utama.

Syukri, M. (2007). Asam urat dan hiperuresemia. *Majalah Kedokteran Nusantara*,40(1).

Tang, Li., Kubota, M., Nagai, A., et al. (2010). Hyperuricemia in obese children and adolescents: the relationship with metabolic syndrome. *Pediatric Reports* volume 2:e12.

Vaart, H van der., Postma, D. S., Timens, W., et al. (2004). Acute effects of cigarette smoke on inflammation and oxidative stress: a review. *Thorax* 59:713–721.

Weaver, A. L., Edwards, N. L., & Simon, L. S. (2010). The gout clinical companion: The latest evidence and patient support tools for the primary care physician. The France Foundation: an educational grant from Takeda Pharmaceuticals North America, Inc.

Wicaksono, S., Putra, A.A Putu Santiasa & Hakim, L. (2012). Distribusi lemak pada mahasiswa antropologi Universitas Airlangga antara laki-laki dan perempuan. Preliminary Study. Surabaya Departemen Antropologi, Universitas Airlangga.

Zhang, W., Doherty, M., Bardin, T., et al. (2006). EULAR evidence based recommendations for gout. Part II: Management. Report of a task force of the EULAR Standing Committee For International Clinical Studies Including Therapeutics (ESCISIT). *Ann Rheum Dis* 65:1312–1324.

Zhang, Y., Woods, R., Chaisson, Christine E., et al. (2006). Alcohol consumption as a trigger of recurrent gout attacks. *The American Journal of Medicine* 119, 800.e13-800.e18.