

DAFTAR GAMBAR

Gambar	Halaman
2.1. Arsitektur IP <i>Multimedia Subsystem</i>	11
2.2. Alur Pensinyalan Pesan Registrasi.....	12
2.3. <i>Application Server</i> Bertindak Sebagai <i>Terminating UA</i> atau <i>Redirected Server</i>	15
2.4. <i>Application Server</i> Bertindak Sebagai <i>Originating UA</i>	15
2.5. <i>Application Server</i> Bertindak Sebagai SIP Proxy	15
2.6. <i>Application Server</i> Melakukan Kontrol <i>Third Party Call</i> yang Bertindak Menginisiasi B2BUA	16
2.7. Sebuah SIP melewati S-CSCF tanpa <i>Application</i>	16
2.8. Test Bed <i>Open IMS</i>	26
2.9. Contoh hasil <i>Capture Wireshark</i>	27
3.1. Topologi Jaringan	29
3.2. Tampilan pengaturan <i>IMS Subscription</i> (1).....	31
3.3. Tampilan pengaturan <i>IMS Subscription</i> (2).....	32
3.4. Tampilan pengaturan <i>Private User Identity</i> (1)	32
3.5. Tampilan pengaturan <i>Private User Identity</i> (2)	33
3.6. Tampilan pengaturan <i>Public User Identity</i> (1).....	33
3.7. Tampilan pengaturan <i>Public User Identity</i> (2).....	34
3.8. Tampilan instalasi <i>IMSDroid</i>	35

3.9. Pengaturan identitas <i>client</i> pada IMSDroid	36
3.10. Pengaturan IP dan <i>port server</i> pada IMSDroid.....	36
3.11. Pengaturan identitas <i>client</i> pada Boghe	37
3.12. Pengaturan IP dan <i>port server</i> pada Boghe.....	38
3.13. Diagram Alir Penelitian	41
4.1. Alur registrasi.....	43
4.2. <i>Call Flow</i> dengan layanan <i>voice call / video call</i>	46
4.3. Alur pengiriman pesan	47
4.4. Grafik <i>Durasi stream</i> paket pensinyalan SIP regristrasi <i>user</i> (a) LAN (b) WiFi <i>access point</i>	48
4.5. Grafik <i>Durasi stream</i> paket pensinyalan SIP layanan <i>Application</i> <i>Server instant messaging</i> (a) LAN (b) WiFi <i>access point</i>	51
4.6. <i>Durasi stream</i> paket pensinyalan SIP layanan <i>Application Server</i> <i>voice call</i> lama panggilan pendek (a) LAN (b) WiFi <i>access</i> <i>point</i>	54
4.7. <i>Durasi stream</i> paket pensinyalan SIP layanan <i>Application Server</i> <i>voice call</i> lama panggilan sedang(a) LAN (b) WiFi <i>access</i> <i>point</i>	55
4.8. <i>Durasi stream</i> paket pensinyalan SIP layanan <i>Application Server</i> <i>voice call</i> lama panggilan panjang (a) LAN (b) WiFi <i>access</i> <i>point</i>	59
4.9. <i>Durasi stream</i> paket pensinyalan SIP layanan <i>Application Server</i> <i>video call</i> lama panggilan pendek (a) LAN (b) WiFi <i>access</i> <i>point</i>	62

4.10. <i>Durasi stream paket pensinyalan SIP layanan Application Server</i>	
<i>video call lama panggilan sedang (a) LAN (b) WiFi access</i>	
<i>point</i>	66
4.11. <i>Durasi stream paket pensinyalan SIP layanan Application Server</i>	
<i>video call lama panggilan panjang (a) LAN (b) WiFi access</i>	
<i>point</i>	68
4.12. <i>Grafik Jitter layanan Application Server voice call (a) LAN</i>	
<i>(b) WiFi access point</i>	69
4.13. <i>Grafik Jitter layanan Application Server video call (a) LAN</i>	
<i>codec H.264 (b) LAN codec G.729 (c) WiFi access point</i>	
<i>codec H.264 (d) WiFi access point codec G.729</i>	72
4.14. <i>Grafik throughput layanan Application Server voice call</i>	
<i>(a) LAN (b) WiFi access point</i>	73
4.15. <i>Grafik throughput layanan Application Server video call</i>	
<i>(a) LAN (b) WiFi access point</i>	74
4.16. <i>Grafik packet loss layanan Application Server voice call</i>	
<i>(a) LAN (b) WiFi access point</i>	75
4.17. <i>Grafik packet loss layanan Application Server video call</i>	
<i>(a) LAN (b) WiFi access point</i>	76