

DAFTAR PUSTAKA

- Bourbeau, P.P., Pohlman, J.K. 2001. *Three Days Of Incubation May Be Sufficient For Routine Blood Cultures With Bact/Alert Fan Blood Culture Bottles*. Journal of Clinical Microbiology. 39 (6): 2078-2082.
- Choo, K.E., T.M.E. Davis., A, Ismail., T.A Tuan Ibrahim.,W.N.W. Ghazali. 1999. *Rapid And Reliable Serological Diagnosis Of Enteric Fever: Comparative Sensitivity And Specificity Of Typhidot And Typhidot-M Tests in Febrile Malaysian Children*; El sevier, Acta Tropica 72 (1999) 175–183; Malaysia.
- Darmowandoyo, W. 2003. Demam Tifoid. *Continuing Education Ilmu Kesehatan Anak XXXIII*. Surabaya Intellectual Club.
- Dutta, S. 2006. *Evaluation Of New-Generation Serologic Tests For The Diagnosis Of Typhoid Fever: Data From A Community-Based Surveillance In Calcutta, India*. J Elsevier. Diagnostic Microbiology and Infectious Disease 56 (2006) 359–365
- Hardi, S., Soeharyo., Karnadi, E. 2002. *The diagnostic value of the Widal test in typhoid fever patients*. Typhoid fever: Profile, Diagnostic And Treatment in 2001. 1st ISAC International Symposium. Acta Medica Indonesia.
- Hatta, M., Goris, M.G. 2002 *Simple Dipstick Assay for The Detection of Salmonella typhi spesific IgM Antibodies and The evolution of the immune Response in Patients with Typhoid Fever*. Am J Trop Med Hyg;66(4);416-21.
- Hatta, M., Ratnawati. 2008. *Enteric Fever in Endemic Areas Of Indonesia: An Increasing Problem Of Resistance*. Journal Infect Developing Countries. 2(4): 279-282.

- Hayat, Dr., Atif, S. 2011. *Evaluation of Typhidot (IgM) in Early and Rapid Diagnosis of Typhoid Fever*. Professional Med Journal. 18(2): 259-264.
- House, D., Wain, J. 2001. *Serology of Thpoid Fever in Area of Endemicity and Its Relevance to Diagnosis*. <http://jcm.asm.org/content/39/3/1002>. Diakses tanggal 7 September 2013.
- Keitel, W., Bond, N.L.. 1994. *Clinical And Serological Responses Following Primary And Booster Immunization With Salmonella Thypi Vi Capsular Pollysaccharidae Vaccines*, France; Institute Meryoux Lyon France.
- Khan, M., coovadia, Y.M., Connoly, C. 1998. *The Early Diagnosis Of Typhoid Fever Prior To The Widal Test And Bacteriological Culture Results Durban*. South Africa.
- Lim, PL. 1998. *One-Step 2-Minute Test to Detect Typhoid-Spesific Antibodies based on Particle Separation in Tubes*. Journal of Clinical Microbiology, Aug, 1998, p. 2271-2278 Vol. 36, No. 8.
- Marleni, M. 2012. *Ketepatan Uji Tubex TF dibandingkan Nested-PCR dalam Mendiagnosis Demam Tifoid pada Anak pada Demam Hari ke-4*. Universitas Sriwijaya. Palembang.
- Massi, M.N., Shirakawa, T.,Gotoh, A., Bishnu, A., Hatta, M., Kawabata, M. 2003. *Rapid Diagnosis of Typhoid Fever by PCR Assay Using One Pair of Primers from flagellin gene of Salmonella typhi*. J Infect Chemother;9(3):233-7.
- Nasronudin. 2007. *Immunopatogenesismolekuler, Diagnosis dan Penatalaksanaan Demam Tifoid Masa Kini. Penyakit Infeksi di Indonesia Solusi Kini & Mendatang*. Surabaya: Airlangga University Press.
- Olsen, S.J. 2004. *Evaluation of Rapid Diagnostic Test for Typhoid Fever*. Journal of Clinical Microbiology.1885-1889, Vol. 42, No. 5.
- Parry, C.M. 2002. Typhoid Fever. N Engl J Med;347(22):1770-82

- Parry, C.M., Hoa, N.T.T. 1999. *Value of Single-Tube Widal Test in Diagnosis Of Typhoid Fever in Vietnam*. Ho chiminh city; Vietnam.
- Pastoor, R. Hatta, M., Abdoel, T.H., Smith, H.L. 2007. *Simple, Rapid and Affordable Point –Of-Care Test For the Serodiagnosis Of Thypoid Fever*. Universitas Hasanuddin, Makassar.
- Prasetyo, R.V. 2009. *Metode Diagnostik Demam Tifoid pada Anak*. Bagian Ilmu Kesehatan Anak FK Unair
- Rachman, A.F. 2011. *Uji Diagnostik Tes Serologi Widal Dibandingkan dengan Kultur Darah sebagai Baku Emas untuk Diagnosis Demam Tifoid Pada Anak Di RSUP Dr. Kariadi Semarang*. Universitas Diponegoro. Semarang.
- Rahman, M., Siddique, A.K., Tam, F., Sharmin, S. 2007. *Rapid detection of early typhoid fever in endemic community children by the TUBEX[®] O9-antibody test*. *Diagnostic Microbiology and Infectious Disease* 58 (2007) 275-281.
- Riset Kesehatan Dasar. 2007. *Badan Penelitian dan Pengembangan Kesehatan. Departemen Kesehatan. Jakarta. Republik Indonesia*
- Siba, V. 2012. *Evaluation of Serological Diagnostic Tests for Typhoid Fever in Papua New Guinea using a Composite Reference Standard*. *Journal ASM Org*.
- Suci, R. A. 2007. *Gambaran Uji Widal Sebagai Alat Diagnostik Penyakit Demam Tifoid Pada Orang Dewasa di RSUD H.Abdul Moeloek, Bandar Lampung Periode Januari-Februari 2007* . Universitas Lampung. Lampung
- Sudoyo, A.W. 2009. *Buku Ajar Ilmu Penyakit Dalam*. Jakarta: Interna Publishing
- Tam, F.C.H., Wang, M., Dong, B. 2008. *New Rapid Test for Paratyphoid a Fever: Usefulness, Cross Detection and Solution*. *Sciencedirect Journal. Diagnostic Microbiology and Infectious Disease* 62 (2008) 142–150
- Tumbelaka, Alan, R., Retnosari, S. 2000. *Pendekatan Diagnostik Serologik dan Pelacak Antigen Salmonella thypi*. *Sari Pediatri*; Vol 2 No 2.

Tumbelaka. 2003. Tata Laksana Demam Tifoid Pada Anak. *Pediatrics Update*. Naskah lengkap Pendidikan Kedokteran Berkelanjutan Ilmu Kesehatan Anak IDAI Jaya.

Willke, A., Ergonul, O., Bayar, B. 2002. *Widal Test of Thypoid Fever on Turkey*. *Clinical and Vaccine Immunology Journal*.

World Health Organization (WHO). 2003. *Typhoid Fever*. <http://www.who.int/>. Diakses tanggal 7 September 2013.