

DAFTAR PUSTAKA

- Adiwidjaya D., Erik, Sutikno. Dan Dwi Sulistinarto. 2003. *Produktifitas Pada Budidaya Udang Windu Sistem Tertutup: Peluang Usaha Untuk Mencari Nilai Tambah Bagi Petambak*. Balai Besar Pengembangan Budidaya Air Payau Jepara. Pertemuan PraLintas UPT Budidaya Air Payau dan Laut, Ditjen. Perikanan Budidaya, Jepara September 2003. 39 halaman..
- Afrianto, E, dan Liviaty, E. 2009. *Pakan Ikan*. (Pembuatan, Penyimpanan, Pengujian, Pengembangan). Kanisius.Yogyakarta.hal 20-31.
- Ahmad, T. 1991. *Pengelolaan Peubah Mutu Air yang Penting dalam Tambak Udang Intensif*. Balai Penelitian Perikanan Budidaya Pantai Maros.
- Aiyushirota.2009.*Konsep Budidaya Udang Sistem Bakteri Heterotrof dengan Bioflocs*. Dikutif dari www.aiyushirota.com diakses pada 9 februari 2013.
- Anonim, 1985.*Pedoman Budidaya Tambak*. Deptan. Direktorat Jendral Perikanan. Jakarta. Balai Budidaya Air Payau Jepara. 225 halaman .
- Anonim. 1991. *Petunjuk Teknis Budidaya Ikan Nila*. Jakarta: Direktorat Jenderal Perikanan, Departemen Pertanian. 93 hal.
- Anonim, 2004.*Budidaya Udang Vannamei (Litopenaeus vannamei) yang Ramah Lingkungan*. Departemen Kelautan dan Perikanan. Direktorat Jenderal Perikanan Budidaya. Balai Besar Pengembangan Budidaya Air Payau Jepara.39 halaman.
- Anonim. 2008. *Potensi Udang*. Hhttp://id.wikipedia.org/wiki/udng.
- Anonymous, 1993.*Pedoman Teknis Pemberian Ikan Bandeng*. Departemen Pertanian, Badan Penelitian dan Pengembangan Perikanan Jakarta. Hal. 37.
- Anonymous, 2000.*Petunjuk Teknis Budidaya Udang Windu*. Dirjen Perikanan Tim MMC Daerah JawaTimur.PT. Aquatik Consultans dan Konsorsium.
- AvnimelechYoram. 1999. *Carbonr nitrogen ratio as a control element in aquaculture systems* . Aquaculture 176: 227-235.

- Avnimelech, Y., 2005. *Tilapia harvest microbial floes in active suspension research pond*. Glob. Aquac. Advocate, October 2005.
- Avnimcleeh, Y., 2007, *Feeding with microbial flocs by tilapia in minimal discharge bio-flocs technology ponds*. Aquaculture 264, 140-147.
- Avnimelech. 2009. *Biofloc Technology: A Practical Guide Book*. World Aquaculture Society: Louisiana, USA. 120p.
- Azim, M.E., Little, D.C., Bron, I.E., 2007. *Microbial protein production in activated suspension tanks manipulating C/N ratio in feed and implications for fish culture*. Bioresource Technology 99, 3590-3599.
- Azim, M.E., Little, D.C. 2008. *The biofloc technology (BFT) in indoor tanks: Water quality, biofloc composition, and growth and welfare of Nile tilapia (*Oreochromis niloticus*)*. Aquaculture 283, 29-35.
- Beristain BT, Verdegem M, Avnimelech Y. 2005a. *Microbial ecology and role in aquaculture ponds*. Di dalam: *Organic matter decomposition in simulated aquaculture ponds*. PhD Thesis. Fish Culture and Fisheries Group. Wageningen Institute of Animal Science. Wageningen University. Netherlands
- Beristain BT, Pilarcyzk B, Verdegem M, Verreth MCJ, Verreth JA. 2005b. *Effect of C/N ratio and oxic conditions on organic matter decomposition in lab-scale intensive freshwater systems*. Di dalam: *Organic matter decomposition in simulated aquaculture ponds*. PhD Thesis. Fish Culture and Fisheries Group. Wageningen Institute of Animal Science. Wageningen University. Netherlands
- Boon, N., T. Defroit., W. de Wind., T. Van De Wiele, W. Verstraete. 2010. *Hydroxybutyrate and Polyhydroxybutyrate as Components of Animal Feed or Feed Additives*. Patent Application Publication. April : 1-4.
- Boyd, C.E. 1982. *Water Quality Management for Pond Fish Culture*. Dv. In *Aquaculture and Fish Science*, Vol. 9. Elsevier Scientific. Pub. Comp.
- Boyd, C.E. 1989. *Water Quality Management and Aeration in Shrimp Farming*. Fisheries and Allied Aquacultures Departement Series No.2. Alabama Agricultral Experiment Station. Auburn University, Alabama.
- Brune, D.E., Schawertz, G, Eversole, A.G, Collier, J. A. & Schwedler , T.E. 2003. *Intensifications Of Pond Aquaculture And High Rate Photosynthetic Systems Aquacultural Engineering*, 28: 65-86.

- Burford, M.A., Thompson, P.J., McIntosh, R.P., Bauman, R.H., Pearson, D.C., 2004. *The contribution of flocculated material to shrimp (*Litopenaeus vannamei*) nutrition in a high-intensity, zeroexchange sistem.* Aquaculture 232, 525-537.
- Crab, R., Y. Avnimelech, T. Defoirdt, P. Bossier, and W. Verstraete. 2007. *Nitrogen Removal Techniques in Aquaculture for Sustainable Production.* Aquaculture, 270: 1-14.
- Crab, R., Chielens, B., Wille, M., Bossier, P., Verstraete, W. 2009. *The effect of different carbon sources on the nutritional value of bioflocs, a feed for Macrobrachiumrosenbergii post larvae.* Aquaculture Research, in press.
- Defoirdt, T., Halet, D., Vervaeren, H., Boon, N., Van de Wiele, T., Sorgeloos, P., Bossier, P., Verstraete, W., 2007. *The bacterial storage compound of poly-**b**-hydrobutyrate protects *Artemiafransiseana* from pathogenic *Vibrio campbellii*.* Environ. Microbiol. 9 (2), 445-452.
- De Schryver P., Crab, R. Detroit, T. Boon, N., Verstrate, W. 2008. *The Basic of Biofloc Technology:* The Added Value For Aquaculture, 227: 125- 137.
- De Schryver, P. and Verstraete, W. 2009. *Nitrogen removal from aquaculture pond water by heterotrophic nitrogen assimilation in lab-scale sequencing batchreactors.* Bioresource Technology 100, 1162-1167.
- Durborow, R.,David M., Martin W. 1997. *Ammonia in Fish Ponds.* Southern Regional Aquaculture Center, SRAC publication 463.
- Ebeling J.M. Timmons MB, Bisogni JJ. 2006. *Engineering Analysis Of The Stoichiometry Of Photoautotrophic, Autotrophic, And Heterotrophic Removal Of Ammonia-Nitrogen In Aquaculture Systems.* Aquaculture 257: 346-358.
- Effendie, M. I. 1997. *Biologi Perikanan.* Yayasan pustaka nusantara. Bogor.163 hal.
- Effendi, H. 2003. *Telaah Kualitas Air Bagi Proses Pengelolaan Sumberdaya dan Lingkungan Perairan.* Kanisius. Yogyakarta
- Ekasari. J. 2008. *Bio-Flocs Technology: The Effect Of Different Carbon Source, SalinityAnd The Addition Of Probiotics On The Primary Nutritional Value Of The Bio-Flocs [Tesis].* Gent: Faculty Of Bioscience Engineering. Ghent University.[FAO] Food and Agricultural Organization. 2007. *The State of World Fisheries.*
- Filzahazny.2013."Perhitungan Mikroba, Blog Filzahazzny".<http://perhitungan-mikroba-filzahazny.blogspot.com>.(4 Juni 2013).
- Ghufran, M. 2006. *Pemeliharaan Udang Vannamei.* INDAH. Surabaya. Gramedia

- Ghufran, 2009. *Budidaya Perairan. Buku Kedua*. Bandung: PT Citra Aditya Bakti.
- Gross A, dan C.E. Boyd. 2000. *Nitrogen Transformations And Balance In Chanel Catfish Ponds*. Aquaculture Engineering 24: 1-14.
- Gunadi dan Hafsari dewi, 2007. *Pemanfaatan Limbah Budidaya Ikan Lele (Clarias gariepenus). Intensif Dengan Sistem Heterotrofik Untuk Pemeliharaan Ikan Nila*. Laporan Akhir Kegiatan Riset 2007 Sukamandi: Loka Riset Pemuliaan dan Teknologi Budidaya Perikanan Air Tawar. 18 Hal.
- Hadie, W., Rejeki, S., & Hadie, L.E. 1995. *Pengaruh pemotongan tangkai mata (ablasi) terhadap pertumbuhan yuwana udang galah (Macrobrachium rosenbergii)*. J. Pen. Perik. Indonesia. 1(1): 37-44.
- Haliman, R. W Adijaya D.S. 2004. *Udang Vannamei. Penebar Swadaya*. Jakarta.
- Haliman, R.W. dan Adijaya, D. 2005. *Udang Vannamei*. Penebar Swadaya. Jakarta
- Haliman, R.W dan Dian A.S. 2006. *Udang Vannamei. Penebar Swadaya*. Jakarta
- Hargreaves, J.A., 1998. *Nitrogen biogeochemistry of aquaculture ponds*. Aquaculture, 166, 181-212.
- Hargreaves dan Tucker. 2004. *Managing Ammonia in Fish Ponds*. Southern Regional Aquaculture Center (SRAC) No. 4603.
- Hari, B., Madhusoodana, K., Varghese, J.T., Schrama, J.W., Verdegem, M.C.J., 2004. *Effects of carbohydrate addition on production in extensive shrimp culture systems*. Aquaculture 241, 179-194.
- Herper,b. and Y Prugnin. 1984. *Commercial Fish Farming, With The Special Reference To Fish Culture In Israel*. Jhon Wiley and sons. New York
- Izquierdo *et al.*, 2006. *Effect of Green Clear Water and Lipid Source on Survival, Growth and Biochemical Compositon of Pasific White Shrimp Litopenaeus vannamei*. Aquaculture Nutrition.12: 192- 202.
- Jaya, Rusdi. 2011. *Hubungan Parameter Kualitas Air Dalam Budidaya Ikan Nila*. (Skripsi). Program Studi Manajemen Sumber Daya Perairan. Fakultas Pertanian Universitas Negeri Musamus. Merauke.
- Ju, et al., 2008. *Enhached Growth Effect on Shrimp (Litopenaeus vannamei) From the Inclusion of Whole Shrimp Floc or Floc Fractions to a Formulated Diet*. Aquaculture Nutrition, 14: 533- 543.
- Kordi, M. G. H. K., dan A. B. Tancung. 2007. *Pengelolaan Kualitas Air dalam Budidaya Perairan*. Rineka Cipta, Jakarta.210 hlm.

- Kuhn, D.D., Boardman, G.D., Craig, S.R., Flick Jr., G.J., McLean, E. 2008. *Use of microbial flocs generated from tilapia effluent as a nutritional supplement for shrimp, Litopenaeus vannamei, in recirculating aquaculture systems*- Journal of the World Aquaculture Society 39,72-82.
- Kuhn, D.D., Boardman, G.D., Lawrence, A.L., Marsh, L., Flick Jr., G.J. 2009. *Microbial floc meal as a replacement ingredient for fish meal and soybean protein in shrimp feed*. Aquaculture 296, 51-57.
- Lesmana, D.S. 2004. *Kualitas Air untuk Ikan Hias Air Tawar*. Penebar Swadaya. Jakarta.
- Lopez, Adams, Cato, dan Sweat. 2008. *Economic Analysis of an intensive, Zero-water Exchange, Saltwater Shrimp Culture Demonstration Projectin Nicaragua*. Document FE361, A Publication of the Department of Food and Resource Economics, Florida Cooperative Extension Service, Institute of Food and Agricultural Sciences, University of Florida.
- Mara, D., 2004. *Domestic waste water treatment in developing countries*. Earthscan. UK. 293p.
- Maulina, 2009. *Aplikasi Teknologi Bioflok Dalam Budidaya Udang Putih (Litopenaeus vannamei Boone)* Tesis School of Life Science and Technology. ITB. Bandung.
- McIntosh RP. 2000. *Changing paradigms in shrimp farming : establishment of heterotrophic bacterial communities*. Global Aquaculture Alliance : April 2000
- McIntosh RP. 2001. *Changing paradigms in shrimp farming : establishment of heterotrophic bacterial communities*. Global Aquaculture Alliance
- Merryanto, Y. 2000. *Struktur Komunitas Ikan dan Asosiasinya dengan Padang Lamun di Perairan Teluk Awur Jepara*. Program Pasca Sarjana, IPB. Bogor.
- Misran, 2005. *Industri Tebu Menuju Zero Waste Industry*. Medan Program Studi Teknik Kimia. Fakultas Teknik Universitas Sumatra Utara. Hal 10.
- Montoya, R. and M. Velasco. 2000. *Role Of Bacteria On Nitritational And Management Strategis In Aquaculture System*. The Advocated, April 2000. P. 35-36.
- Mudjiman, A. (2008). *Makanan Ikan*. Penebar Swadaya. Jakarta

- Muylder, E., Claessens L., Mekki H. 2010. *Production of Shrimp (Litopenaeus vannamei) Without Marine Protein in a Bioflocs System*. Aquafeed Magazine.
- Otari,S.V. and J.S. Ghosh.2009. *Production and Characterization of Polymer Polyhydroxybutyrate-co-polyhydroxyvalerut by Bacillus megaterium NCIM 2475*. Current Research Journal of Biological Sciences 1 (2):23-26.
- Poernomo, A.1990. *Faktor Lingkungan Dominan Pada Budidaya Tambak Udang Intensif*. Yayasan Obor Indonesia. Jakarta.
- Purnomo, Panca, Dias. 2012. *Pengaruh Penambahan Karbohidrat Pada Media Pemeliharaan Terhadap Produksi Budidaya Intensif Nila (Oreochromis niloticus)*. Fakultas Perikanan dan Ilmu Kelautan, Universitas Diponegoro. Halaman 161-179.
- Riche dan Garling. 2003. *Feeding Tilapia in Intensive Recirculating System*. North Central Regional Aquaculture Center.
- Sahidir, I. 2011. *Teknologi Bioflok: Teori dan Praktek*. <http://www.biotechnology-tambak-info.com>. diakses 10 Maret 2011.
- Santhanam, A. and S. Sasidharan. 2010. *Microbial Production of Polyhydroxyalkanoates (PHA) from Alcaligenes spp And Pseudomonas oleovorans using different carbon*. African Journal Biotechnology 9 (21):3144-3150.
- Shirota, A. 2008. *Concept Of Heterotrophic Bacteria System Using Bioflocs in Shrimp Aquaculture*. Biotechnology Consulting and Trading.
- Shimizu, H., Shinji Tamura, SuteakiShioya, Ken-ichiSuga. 1993. *Kinetic Study of Poly-D(-)-3-hydroxy butyric acid (PHB) Production and its Molecular weight distribution control in a fed-batch culture of Alcaligenseutrophs*. Journal of Fermentation and Biotechnology 7(6):s 465-469
- Soetedjo, H., 2011. *Kiat Sukses Budidaya Lobster Air Tawar*. Araska Press, Yogyakarta. 118 hal.
- Stickney.R.R. 2005. *Aquaculture: An Introductory Text*. USA: CABI Publishing.
- Sumeru, S. U dan S. Anna. 1992. *Pakan Udang Windu (Penaeus monodon)*. Penerbit Kanisius. Yogyakarta.
- Suprapto, 2007. *Pemahaman biofloc teknologi sebagai budidaya alternatif*. Shrimp Club Indonesia.

- Suryaningrum,Maharani, Fransiska. 2012. *Aplikasi Teknologi Bioflok Pada Pemeliharaan Benih Ikan Nila (Oreochromis nilotica)* (Tesis). Universitas terbuka. Jakarta.
- Tacon, A.G.J. 1987. *The Nutrition and Feeding of Farmed Fish and Shrimp—A Training Manual. 1. The Essential Nutrients*. Food and Agriculture Organization of the United Nations, GCP/RLA/075/ITA, Brazil, 117 pp.
- Tiensongrusme, B. 1990. *Shrimp Culture Improvement in Indonesia*. Bulletin Brackish water Aquaculture Development Center.
- Unisa, Rema. 2000. *Pengaruh padat penebaran terhadap pertumbuhan dan kelangsungan hidup benih ikan lele dumbo dalam sistem resirkulasi dengan debit air 33LPM/M³*. (skripsi). Institut Pertanian Bogor. Hal 6.
- Van Wyk, P. and Avnimelech, Y. 2007. *Management of nitrogen cycling and microbial populations in biofloc-based aquaculture systems*. Presented in World Aquaculture Society Meeting, San Antonio, Texas, USA. February 26 to March 2,2007.
- Vidali, M. *Bioremediation*. An overview. 2001. IUPAC, Pure and Applied Chemistry 73: 116-1172.
- Wardoyo, S.T.H. 1997. *Pengelolaan Kualitas Air Tambak Udang*. Makalah dalam Seminar Latihan Manajemen Tambak Udang dan Hatchery. Himpunan Mahasiswa Akuakultur Fakultas Perikanan. IPB. Bogor.
- Wyban, A. James dan N. J. 1991. *Intensive Shrimp Production Technology*. The Oceanic InstituteMakapuuPoint Honolulu.Hawaii USA.