

## DAFTAR PUSTAKA

- Abdullah, M., Sonya, A. D., Nuryadin, B. W., Marully, A. R., Khairuddin, dan Khairurrijal, 2009, Sintesis Keramik Berbasis Komposit Clay-Karbon dan Karakterisasi Kekuatan Mekaniknya, *Jurnal Nanosains dan Nanoteknologi*, Vol 2(2), hlm 83-89.
- Adam, F., Balakrishnan, S., and Wong, Phee-Lee, 2006, Rice Husk Ash Silica as A Support Material Ruthenium Based Heterogeneous Catalyst, *Jurnal of Physical Science*, Vol 17(2), pp 1-13.
- Ajiwe, V.I.E., Okeke, C.A., and Akigwe, F.C. 2000, A Preliminary Study of Manufacture of Cement from Rice Husk Ash, *Bioresource Technology*. Vol 73 No.1, pp 37-39.
- Anggono, Juliano, 2005, Mullite Ceramics: Its Properties, Structure, and Synthesis, *Jurnal Teknik Mesin*, Vol. 7 No. 1, pp 1 – 10.
- Anonim A. 2002. *Aluminum Oxide, Al<sub>2</sub>O<sub>3</sub>*. <http://www.accuratus.com>. Diakses tanggal 2 April 2011.
- Anonim B. 2005. Silica. <http://www.azom.com>. Diakses tanggal 2 April 2011.
- Ashby, M. F., and Jones, David, R. H., 1991, *Engineering Materials, An Introduction to Their Properties and Applications*, Editing by R. J Brook, Pergamon Press, New York.
- Brinker C, J., and Scherer , G. W., 1990, *Sol-gel Science The Physics and Chemistry of Sol-Gel Processing*, Academic Press, Ink., San Diego.
- Bowen, N.L., and Greig, J.W., 1924, The System Al<sub>2</sub>O<sub>3</sub>–SiO<sub>2</sub>. *Journal of the American Ceramic Society*, Vol 7(4), pp 238–254.
- Daifullah, A. A. M., Girgis, B. S and Gad, H. M. H. 2002. *Utilization of Argos residues (Risk Hush) in Small Waste Water Treatment Plans*. Material Letters 57. Elsevier Science Ltd, page 1723-1731.
- Duval, D. J., Risbud, S.H., Shackelford, J. F. 2008. *Mullite; Ceramic and Glass Materials: Structure, Properties and Processing*. England

- Ebadzadeh, T., and Lee, W.E., 1998, Processing– Microstructure –Property Relations in Mullite– Cordierite Composites, *Journal of the European Ceramic Society*, Vol 18(7), pp 837–848.
- Ebtadiani, L.L., 2007, Karakteristik Tingkat Kristalinitas Silika Sekam Padi, *Skripsi*, FMIPA Fisika Universitas Lampung, Bandar Lampung.
- Fairus, S., Haryono, M. H., dan Sudrajat, A., 2009, Proses Pembuatan Waterglass dari Pasir Silika dengan Pelebur Natrium Hidroksida, *Jurnal Teknik Kimia Indonesia*, Vol. 8 No. 2, hlm 56-62.
- Ginting, G. S., 2006, Fungsionalisasi Silika Sekam Padi sebagai Bahan Baku Penukar Ion dan Promotor Adhesi, *Laporan Akhir Penelitian Dasar di Perguruan Tinggi*, Ditjen Dikti. Depdiknas, Bandar Lampung.
- Goldstein, J. L., Newbury, D.E., Echlin, P., Joy, D.C., Lyman, C. E., Lifshin, E., Sawyer, L., and Michael, . R., 2003, *Scanning Electron Microscopy and X-Ray Microanalysis*, 3<sup>th</sup> Edition, Kluwer Academic/Plenum Publisher, New York.
- Guse, W., and Mateika, D. 1974, Growth of Mullite Single Crystals ( $2\text{Al}_2\text{O}_3 \cdot \text{SiO}_2$ ) by the Czochralski Method, *Journal of Crystal Growth*, Vol 22(3), pp 237–240.
- Guse, W., and Saalfeld, H., 1990, X-ray Characterization and Structure Refinement of a New Cubic Alumina Phase ( $\sigma\text{-Al}_2\text{O}_3$ ) with Spinel-Type Structure, *N. Jb. Min. Mh*, Vol 5, pp 217–226.
- Hanafi, A. S., dan Nandang A. R. 2010, Studi Pengaruh Bentuk Silika dari Abu Ampas Tebu terhadap Kekuatan Produk Keramik, *Jurnal Kimia Indonesia*. Vol 5(1), hlm 35-38
- Hara, 1986, Utilization of Agrowastes for Building Materials, *International Research and Development Cooperation Division*, AIST, MITI, Japan.
- Harsono, H., 2002, Pembuatan Silika Amorf dari Limbah Sekam Padi, *Jurnal Ilmu Dasar*, Vol. 3 No.2, hlm 98-103
- Higuchi, M., and Azuma, Y., 1997, Effect of Alkali Metal Oxide Addition on Crystallization and Phase Transformation of Sintered Spherical Silica, *Journal of the Ceramic Society of Japan*, Vol 105, pp 385–390.
- Hikam, M. 2007. *Kristalografi dan Teknik Difraksi*. Program Studi Ilmu Material Departemen Fisika FMIPA. Universitas Indonesia.
- Hoffman, D.W., Roy, R., and Komarneni, S. 1984. Diphasic Xerogels, A New Class of Materials: Phases in The System  $\text{Al}_2\text{O}_3\text{-SiO}_2$ . *Journal of the American Ceramic Society*, vol 67, pp 468–471.

- Houston, D. F., 1972, *Rice Chemistry and Technology*, Vol IV, American association of Cereal Chemist. Inc, St. Paul, Minnesota. USA.
- Indayaningsih, Nanik ., Febrianto, E. Y., Sudjono, H. K. S, dan Sardjono, P. 2001. Sintesa Serbuk Beta- Alumina Melalui Proses Sol-Gel, *Prosiding Seminar Nasional X “Kimia dalam Industri dan Lingkungan”*, 6 – 7 November 2001, hlm. 129 - 137.
- Ismunadji, M., 1988, *Padi Buku I, Edisi I*, Badan Penelitian dan Pengembangan Pertanian, Bogor
- Itatani, K., Kubozono, T., Howell, F. S., Kishioka, A., dan Kinoshita, M., 1995, Some Properties of Mullite Powders Prepared by Chemical Vapor Deposition, *Journal of Materials Science*, Vol 30(5), pp 1158–1165.
- Jaymes, I., and Douy, A., 1995, Homogeneous Precipitation of Mullite Precursors, *Journal of Sol-Gel Science and Technologi*, Vol 4, pp 7-13.
- Jokosisworo, S., 2009, Pengaruh Penggunaan Serat Kulit Rotan sebagai Penguat pada Komposit Polimer dengan Matriks Polyester Yukalac 157 terhadap Kekuatan Tarik dan Tekuk, *Jurnal Tenik*, Vol 30(3), hlm 191-196.
- Juliano B. O. 1985. *Rice hull and rice straw*. In: *Rice: Chemistry and Technology*. eds. 2nd , Am Assoc Cereal Chemists. Minnesota.
- Kalapathy, U., Proctor, A., and Shultz, J., 2000, A Simple Method for Production of Pure Silica from Rice Hull Ash, *Biosource Technology*, Vol 73, pp 257-264.
- Kanzaki, S., Tabata, H., Kumazawa, T., and Ohta, S., 1985, Sintering and Mechanical Properties of Stoichiometric Mullite, *Journal of the American Ceramic Society*, Vol 68, pp C6–C7.
- Karo-Karo, P., dan Sembiring, S., 2007, Pembuatan dan Karakterisasi Gelas Cordierite dari Silika Hasil Ekstraksi Sekam Padi dengan Metode Sol-Gel, *Journal of Industrial Engineering and Management Systems*, Vol 2 No. 1, hlm 57-62.
- Kriven, W. M., and Pask, J. A., 1983, Solid Solution Range and Microstructure of Melt Grown Mullitem, *Journal of the American Ceramic Society*, Vol 66, pp 649-654.
- Kostorz, Gemot. 1988. *High-Tech Ceramics*. Academic Press.
- Lampman, H., and Wheathon, N., 1991, *Engineered Materials Hand Book Ceramics and Glasses*, ASM International The Material Information Society, hlm 465.

- Liza, C., 2009, Nano Komposit Polipropilen Clay, *Majalah Sentra Polimer*. Serpong, Tangerang.
- Malawi, R., 1996, Potensi Abu Sekam Padi (Rice Husk Ash) Sebagai Bahan Pozzolan Pada Mortar Semen, *Skripsi*, Jurusan Teknik Sipil, Fakultas Teknik, UGM. Yogyakarta.
- Mazza, D., Delmastro, A., Ronchetti, S., 2000, Co, Ni, Cu Aluminates Supported on Mullite Precursors Via A Solid State Reaction, *Journal of the European Ceramic Society*, Vol 20, pp 699-706.
- Misran, H., Singh, R., Begum, S., and Yarmo, M. A., 2007, Prosessing of Mesoporous Silica Materials (MCM-41) from Coal Fly Ash, *Journal of Materials Processing Technology*, Vol 186(1-3), pp 8-13.
- Murthy, M. K., and Hummel, F. A., 1960, X-ray Study of The Solid Solution of  $TiO_2$ ,  $Fe_2O_3$  and  $Cr_2O_3$  in Mullite ( $3Al_2O_3 \cdot 2SiO_2$ ), *Journal of the American Ceramic Society*, Vol 43(5), pp 267–272.
- Nakata, Y., Suzuki, M., Okutani, T., Kikuchi, M., and Akiyama, T., 1989, Preparation and Properties of  $SiO_2$  from Rice Hulls, *Journal of the Ceramic Society of Japan*, Vol 97, pp 842–849.
- Negara, S. I. M., 2008, Preparasi dan Karakterisasi Komposit Kromium Oksida-Montmorillonit, *Jurnal Kimia*, Jurusan Kimia FMIPA Universitas Udayana, Vol 2(2), hlm 93-99.
- Nurhayati, 2006, Studi Pendahuluan Karakterisasi Silika Sekam Padi sebagai Alternatif Pembuatan Keramik, *Skripsi*, FMIPA Fisika Universitas Lampung, Bandar Lampung.
- Okutani, T. , Nakata, Y, 1996, Industrial utilization of silica in rice hulls. *Netsu Sokutei (Calorimetry and Thermal Analysis)*, Japan, Vol 23, pp 117–127.
- Pandiangan, K.D., Suka, I.G., Rilyanti, M., Widiarto, S., Anggraini, D., Arief, S., dan Jamarun, N., 2008, Karakteristik Keasaman Katalis Berbasis Silika Sekam Padi yang Diperoleh dengan Teknik Sol Gel, *Jurnal Sains dan Teknologi*, Universitas Lampung.
- Park, Dong Gun., Kang, Jin., and Kon, Hea Young., Organik-Inorganic nano-Composite of PMMA-Forsterite Doped Eu<sup>+3</sup>, *Journal of the Korean Chemistry Society*, Vol 21 No. 6, pp 604-610.
- Petrovic, R., Janaclovic, D., Bozovic., B, Slavica, Z., and Gvozdenovic, L.K., 2001, Densification and Crystallization Behaviours of Colloidal Cordierite-type Gel. *Journal of the Serbian Chemical Society*, Vol 66 No. 3, pp 335-343

- Prabowo, A., Setyawan, Dwi., dan Paryanto., 2008, Kajian Pemanfaatan Abu Sekam Padi (Rice Husk Ash) dan Batu Apung (Pumice) sebagai Bahan Stabilisasi Tanah Pondasi Ekspansif untuk Bangunan Sederhana. *Laporan Penelitian*, Fakultas Teknik Universitas Mataram, Mataram.
- Rahmaini, R. A. 2010. Pengaruh Suhu Sintering Terhadap Karakteristik Struktur dan Mikrostruktur Keramik Borosilikat Berbasis Silika Sekam Padi. *Skripsi*. FMIPA Fisika Universitas Lampung. Bandar Lampung.
- Rahaman, M. N. 2003., *Ceramic Processing and Sintering, Second Edition*, Marcel Dekker, Inc., pp 243-321.
- Ramatawa. 2008. <http://www.ramatawa.wordpress.com/2008/11/23/komposit-part-definisiklasifikasiaplikasi/> diakses tanggal 26 November 2012
- Real, C., Alcala, M. C., and Criado J. M., 1996, Preparation of silica from rice husks. *Journal of the American Ceramic Society*, Vol 79, pp 2012–6.
- Rezwan K., Chen Q.Z., Blaker J. J., and Boccaccini A. R., 2006, Biodegradable and Bioactive Porous Polymer/Inorganic Composite Scaffolds for Bone Tissue Engineering, *Journal Biomaterial*, Vol 27, pp 3413–3431.
- Rodrigues, F. A., 2003, Low-Temperature Synthesisof Cements From Rice Hull Ash, *Cement and Concrete Research*, Vol 2357, pp 1-5.
- Roy, R., and Osborn, E. F. , 1952, *Studies in the system alumina–silica–water*. In: *Proc. Problems of Clay and Laterite Genesis symposium*. Amer, Inst, Mining and Metallurgical Engineers, New York, pp 76–80.
- Sack, M. D., and Pask, J. A., 1977, *Sintering of Mullite*, Proc. 14th University Conference on Ceramic Science “Processing of Crystalline Ceramics”, 7-9 November , pp 193-203.
- Schneider, H., Okada, K., and Pask, J. A., 1994. *Mullite and Mullite Ceramics*. Wiley, Chichester.
- Sciti, D., and Bellosi, A., 2002, Microstructure and Properties of Alumina-SiC Nanocomposite Prepared from Ultrafine Powders, *Journal of Material Science*, Vol 37(17), pp 3747-3758.
- Sembiring, S. 2006. *Karakterisasi Silika Sekam Padi sebagai Bahan Keramik dengan Teknik Sintering*. Universitas Lampung. Bandar Lampung.
- Shichun. Qu., Mao, G., Li, Fuming., Clough, R., O'Bryan, N., and Gorrel, R., 2005, A New Organic Composite Dielectric Material for High Performance IC Package, *Electronic Component and technology Conference*, 31 May – 3 Juni 2005, Vol 2, hlm 1373–1377.

- Shofiyatun, S., 2000, Optimasi Sintesa Serbuk Keramik SiC dari Bahan Baku Silika Amorf, *Skripsi*, FMIPA Universitas Brawijaya, Malang.
- Smith, W. F. 1996. *Principle of Materials and Science Engeenering. Third Edition*. McGraw-Hill. Inc. USA.
- Sopyan, L., Winarno, D.A., Sukartini., 1997, Pembuatan Bahan Keramik Melalui Teknologi Sol Gel. *Database Jurnal Ilmiah Indonesia*, Vol 4, hlm 137-143.
- Tanan, Natalia., Anggraini F., 2001, Perlakuan Aspal Beton terhadap Pemakaian Abu Ampas Tebu, *Hasil Penelitian*, Fakultas Teknik Sipil dan Perencanaan. Universitas Kristen Petra, Surabaya.
- Tomita, K., and Kawano, M. 1992. *Effect of cations on crystallization of amorphous silica (part 1)*. Rep Fac Sci Kagoshima Univ (Earth Sci & Biol) **25**, 1–18.
- Usuki, A., Kojima, M., Okada, A., fukushima, Y., Kurauchi, T., and Kamigato, O., 1993, Mechanical Properties of Nylon 6-Clay Hybrid, *Journal of Materials Research*, Vol 8(5), pp 1185-1189.
- Viswabaskaran, V., Gnanam, F. D., Balasuramanian, M., 2002, Mullitisation Behaviour of South Indian Clays, *Jurnal of Ceramics International*, Vol 28, 557-564.
- Venezia, A. M., Parola, V. La., Longo, A., and Martorana, A., 2001, Effect of Alkali Ions on the Amorphous to Crystalline Phase Transition of Silica, *Journal of Solid State Chemistry*, Vol 161, pp 373–378.
- Vlack, Lawrence H. Van. 2004. *Elemen-Elemen Ilmu dan Rekayasa Material*. Erlangga. Jakarta.
- Vogel. 1985. *Buku Teks Analisis Anorganik Kualitatif Mikro dan Semimikro*, Edisi kelima, Terjemahan Setiono, L dan Pudjaatmaka, A. Kalman Media. Jakarta.
- Wannaparhun, S., and Seal, S., 2003, Surface Chemical Reactions of Aluminosilicate Composites at Extreme Atmospheres Using Electron Spectroscopy for Chemical Analysis, *Jurnal Material Chemistry*, Vol 13, pp 322-327.
- Wijaya, K., Sugiharto, E., Mudasir., Tahir, I., dan Liawati, I., 2004, Sintesis Komposit Oksida-Besi Montmorillonit dan Uji Stabilitas Strukturnya terhadap Asam Sulfat, *Indonesian Jurnal of Chemistry*, Vol 4(1), pp 33-34.

Worral, D. M., 1986, *Clay and Ceramic Raw Materials*. Second Edition, Elsevier Science Publishing, Co., Inc., New York. USA.

Youngquist, J. A., 1995, The Marriage of Wood and Non Wood Materials. *Forest Product Journal*, Vol 45(10), pp 25-30.

<http://www.udel.edu> diakses tanggal 2 Desember 2012, Secondary Electron Detector (SED)

[http://www.phy.cuhk.edu.hk/course/surfacesci/mod5/m5\\_s4.pdf](http://www.phy.cuhk.edu.hk/course/surfacesci/mod5/m5_s4.pdf) diakses tanggal 2 Desember 2012, Scanning Electron Microscopy Application