

Lampiran 6. Hasil Regresi Logistik *Binary*

Logistic Regression

Case Processing Summary

Unweighted Cases ^a		N	Percent
Selected Cases	Included in Analysis	100	100.0
	Missing Cases	0	.0
	Total	100	100.0
Unselected Cases		0	.0
Total		100	100.0

a. If weight is in effect, see classification table for the total number of cases.

Dependent Variable Encoding

Original Value	Internal Value
Tidak	0
Ya	1

Block 0: Beginning Block

Classification Table^{a,b}

Observed			Predicted		
			Citra Perusahaan		Percentage Correct
			Tidak	Ya	
Step 0	Citra Perusahaan	Tidak	0	18	.0
		Ya	0	82	100.0
Overall Percentage					82.0

a. Constant is included in the model.

b. The cut value is ,500

Variables in the Equation

		B	S.E.	Wald	df	Sig.	Exp(B)
Step 0	Constant	1.516	.260	33.938	1	.000	4.556

Variables not in the Equation

			Score	df	Sig.
Step 0	Variables	X1	1.526	1	.000
		X2	15.861	1	.000
		X3	30.318	1	.000
	Overall Statistics		33.872	3	.000

Block 1: Method = Enter

Omnibus Tests of Model Coefficients

		Chi-square	df	Sig.
Step 1	Step	38.712	3	.000
	Block	38.712	3	.000
	Model	38.712	3	.000

Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	55.567 ^a	.321	.626

a. Estimation terminated at iteration number 7 because parameter estimates changed by less than ,001.

Hosmer and Lemeshow Test

Step	Chi-square	df	Sig.
1	23.086	8	.503

Contingency Table for Hosmer and Lemeshow Test

		Citra Perusahaan = Ya		Citra Perusahaan = Tidak		Total
		Observed	Expected	Observed	Expected	
Step 1	1	9	7.948	1	2.052	10
	2	4	4.223	6	5.777	10
	3	3	2.711	7	7.289	10
	4	0	1.468	10	8.532	10
	5	0	.702	9	8.298	9
	6	0	.497	10	9.503	10
	7	1	.241	9	9.759	10
	8	0	.131	10	9.869	10
	9	1	.054	9	9.946	10
	10	0	.025	11	10.975	11

Variables in the Equation

		B	S.E.	Wald	df	Sig.	Exp(B)
Step 1 ^a	X1	.702	.225	.811	1	.013	1.224
	X2	.655	.132	3.730	1	.009	1.291
	X3	.620	.201	12.815	1	.018	2.054
	Constant	-22.287	6.438	11.985	1	.000	.000

a. Variable(s) entered on step 1: X1, X2, X3.