

DAFTAR PUSTAKA

- Ado, S. A., Olukotun G.B., Ameh J. B., and Yabaya A. 2009. Bioconversion Of Cassava Starch to Ethanol in A Simultaneous Saccharification and Fermentation Process by Co-Cultures of *Aspergillus Niger* and *Saccharomyces Cerevisiae*. *Science World Journal*, 4(1): 19-22.
- Agbor, V.B., Nazim C., Richard S., Alex B., and David B.L. 2011. Biomass Pretreatment: Fundamentals Toward Application. *Biotechnology Advances*, 29: 675-685.
- Aiyer, P.V. 2005. Amylases and Their Applications. *African Journal of Biotechnology*, 4(13): 1525-1529.
- Anozie, A.N. and Aderibigbe A.F. 2011. Optimization Studies of Cassava Starch Hydrolysis using Response Surface Method. *New Clues in Sciences*, 1: 37-43.
- Apar, D.C. and Özbek B. 2004. Corn, Rice, and Wheat Starch Hydrolysis by Using Various Alpha-Amylase Enzymes at Temperature 40 °C. *Journal of Engineering and Natural Sciences*, 2: 55-68.
- Azizah, N., Al-Baarri A.N., and Mulyani S. 2012. Pengaruh Lama Fermentasi terhadap Kadar Alkohol, pH, dan Produksi Gas pada Proses Fermentasi Bioetanol dari *Whey* dengan Substitusi kulit Nanas. *Jurnal Aplikasi Teknologi Pangan*, 1(2): 72-77.
- Badan Pusat Statistika (BPS) Provinsi Lampung. 2012. Lampung Dalam Angka 2011. <http://www.lampung.bps.go.id>, diakses pada 7 Desember 2012.
- Balat, M., Havva B., and Öz C. 2008. Progress in Bioethanol Processing. *Progress in Energy and Combustion Science*, 34(5): 551-573.
- Balcu, I., Macarie C.A., Segneanu A. E., and Oana R. 2011. Combined Acid Pretreatment of The Biomass. <http://www.intechopen.com/books/progress-in-biomass-and-bioenergy-production/combined-acid-pretreatment-of-the-biomass>, diakses pada 6 Maret 2013.

- Barnali, B., Basu R.K., and Ash S.N. 2008. Kinetic Study on Acid Catalytic Hydrolysis of Starch. *Journal of Scientific and Industrial Research*, 67: 295-298.
- BeMiller, J.N. and Whistler R. 2009. Starch: Chemistry and Technology 3rd Edition. New York. *Academic Press Incorporated*.
- Bozbas, K. 2005. Biodiesel as An Alternative Motor Fuel: Production and Policies in The European Union. *Renewable and Sustainable Energy Reviews*, 20: 1-12.
- Camarena, F. and Martinez J.A. 2006. Potential of Ultrasound to Evaluate Turgidity and Hydration of The Orange. *Journal Food Engineering*, 75: 503-507.
- Collares, R.M., Luiza V.S.M, Mariana M.B., Nina P.G.S., Marcio A.M., Dilson A.B., and Lisiane M.T. 2012. Optimization of Enzymatic Hydrolysis of Cassava to Obtain Fermentable Sugars. *Journal of Zhejiang University-Science B (Biomedicine and Biotechnology)*, 13(7): 579-586.
- Dien, B.S., Ximenes E.A., O'Brian B.J., Moniruzzaman M., Li X., Balan V., Dale B., and Cotta M.A. 2008. Enzyme Characterization for Hydrolysis of AFEX and Liquid Hot-Water Pretreated Distillers Grains and Their Conversion to Ethanol. *Bioresource Technology*, 99: 5216-5225.
- Elaiyaraju, P. and Partha N. 2012. Biogas Production from Co-Digestion of Orange Peel Waste and Jatropha De-oiled Cake in An Anaerobic Batch Reactor. *African Journal of Biotechnology*, 11(14): 3339-3345.
- Fregonesi, A., Moran-Paulo J., Joekes I., Augusto J., Rodrigues R., Tonella E., and Althoff K. 2007. Continuous Fermentation of Sugar Cane Syrup Using Immobilized Yeast Cells. *Bioresource Bioengineering*, 97: 48-52.
- García-Cubero, M.T., González-Benito G., Indocoechea I., Coca M., and Bolado S. 2009. Effect of Ozonolysis Pretreatment on Enzymatic Digestibility of Wheat and Rye Straw. *Bioresource Technology*, 100(4): 1608-1613.
- Herrera A., Tellez-Luis S.J., and Ramirez J.A. 2003. Production of Xylose from Sorghum Straw Using Hydrochloric Acid. *Journal Cereal Science*, 37: 267-274.
- Hong, L.S., Ibrahim D., and Omar C.O. 2013. Effects of Physical Parameters on Second Generation of Bioethanol Production from Oil Palm Frond by *Saccharomyces cerevisiae*. *Biosources*, 8(1): 969-980.
- Ikram, U., Ashraf H., Iqbal J., and Qadeer M.A. 2003. Production of Alpha Amylase by *Bacillus Licheniformis* using An Economical Medium. *Bioresource Technology*, 87: 57-61.

- Katzen, R., Madson P.W., and Monceaux D.A. 1995. Use of Cellulosic Feedstocks for Alcohol Production (The Alcohols Textbook). *Nottingham University Press*, 37-46.
- Kim, H-Y., Ju H.L., Kim J-Y., Lim W-J, and Lim S-T. 2012. Characterization of Nanoparticles Prepared by Acid Hydrolysis of Various Starches. *Starch/Starke*, 64: 367–373.
- Kowalski, S., Marcin L., and Wiktor B. 2013. Applicability of Physico-chemical Parameters of Honey for Identification of The Botanical Origin. *Acta Scientiarum Polonorum*, 2(1): 51-59.
- Kumar, P., Barrett D.M., Michael J.D., and Pieter S. 2009. Methods for Pretreatment of Lignocellulosic Biomass for Efficient Hydrolysis and Biofuel Production. *Industrial and Engineering Chemistry Research*, 48(8): 3713-3729.
- Kusmiati dan Agustini N.W.S. 2010. Pemanfaatan Limbah Onggok untuk Produksi Asam Sitrat dengan Penambahan Mineral Fe dan Mg pada Substrat Menggunakan Kapang *Trichoderma Sp* dan *Aspergillus Niger*. *Seminar Nasional Biologi*, 856-866.
- Lida, Y., Tuziuti T., Yasui K., Towata A., and Kozuka T. 2008. Control of Viscosity in Starch and Polysaccharide Solution with Ultrasound After Gelatinization. *Innovative Food Science and Emerging Technologies*, 9: 140-146.
- Lone, M.A., Wani M.R., Bhat N.A., Sheikh S.A. and Reshi M.A. 2012. Evaluation of Cellulase Enzyme Secreted by Some Common and Stirring Rhizosphere Fungi of *Juglans Regia* L. by DNS Method. *Journal of Enzyme Research*, 3(1): 18-22.
- Mathews, van H. and Ahern. 2000. Biochemistry 3rd Edition. San Francisco. *Benjamin/Cummings*, 278-310.
- Mayasari, T.S. 2007. Pengaruh Lama Hidrolisa dan Konsentrasi Asam terhadap Rendemen dan Mutu Sirup Glukosa dari Pati Pisang Kepok (*Musa paradisiacal* L.). *Skripsi*. Universitas Sumatera Utara. Medan.
- Manwar, J., Kakasaheb M., and Anant P. 2013. Plackett-Burman Design: A Statistical Method for The Optimization of Fermentation Process for The Yeast *Sccharomyces cerevisiae* Isolated from The Flower of *Woodfordia Fruticosa*. *Fermentation Technology*, 2(1): 1-6.
- McClements, D.J. 1995. Advances in The Application of Ultrasound in Food Analysis and Processing. *Trends Food Science Technology*, 6: 293-299.

- Mesa, L., González E., Cara C., González M., Castro E., and Mussatto S.I. 2011. The Effect of Organosolve Pretreatment Variables on Enzymatic Hydrolysis of Sugarcane Baggasse. *Chemical Engineering Journal*, 168: 1157-1162.
- Mishra, M.S., Chandrashekar B., Tanushree C., and Kanwal S. 2011. Production of Bioethanol from Jatropha Oilseed Cakes via Dilute Acid Hydrolysis and fermentation by *Saccharomyces cerevisiae*. *International Journal of Biotechnology Applications*. 3(1): 41-47.
- Mosier, N S., Hendrickson, R., and Brewer, M. 2005. Industrial Scale-up of pH-Controlled Liquid Hot Water Pretreatment of Corn Fiber for Fuel Ethanol Production. *Application Biochemistry Biotechnology*, 125: 77-97.
- Moxley, G., Zhu Z., and Zhang Y. H.P. 2008. Efficient Sugar Release by the Cellulose Solvent-Based Lignocellulose Fractionation Technology and Enzymatic Cellulose Hydrolysis. *Journal Agricultural Food Chemistry*, 56: 885-890.
- Najafpour, G., Ideris A., Salmanpour S., and Norouzi M. 2007. Acid Hydrolysis of Pretreated Palm Oil Lignocellulosic Wastes. *IJE Transaction B: Applications*, 20(2): 147-156.
- Najafpour, G., Younesi H., and Ku S. 2004. Ethanol Fermentation in An Immobilized Cell Reactor using *Saccharomyces cerevisiae*. *Bioresource Technology*, 92: 251-260.
- Nicolić, S., Mojovic L., Rakin M., Dušanka P., and Jelena P. 2010. Ultrasound-assisted Production of Bioethanol by Simultaneous Saccharification and Fermentation of Corn Meal. *Food Chemistry*, 122: 216-222.
- Nityavardhana, S., Rakshit S K., and Grewell D. 2008. Ultrasound Pretreatment of Cassava Chip Slurry to Enhance Sugar Release for Subsequent Ethanol Production. *Biotechnology Bioengineering*, 101: 487-496.
- Olorunsola, E.O., Isah, A.B., and Allagh T.S. 2011. Effects of Varying Conditions of Acid Hydrolysis on Some Physicochemical Properties of *Ipomoea Batatas* Starch. *Nigerian Journal of Pharmaceutical Sciences*, 9(2): 73-80.
- Pan, X., Xie, D., and Kang, K.Y. 2007. Effect of Organosolv Ethanol Pretreatment Variables on Physical Characteristics of Hybrid Poplar Substrates. *Applications Biochemistry Biotechnology*, 136(140): 367-377.
- Pandey, A., Carlos R.S., Poonam N., Vanete T.S., Luciana P.S.V., and Radjiskumar M. 2000. Biotechnological Potential of Agro-industrial Residues II: Cassava Baggasse. *Bioresource Technology*, 74: 81-87.

- Pasaribu, G.T. 2009. Zat Ekstraktif Kayu Raru Dan Pengaruhnya Terhadap Penurun Kadar Gula Darah Secara *In Vitro*. *Tesis*. Institut Pertanian Bogor. Bogor.
- Patist, A., and Bates, D. 2008. Ultrasonic Innovations in The Food Industry: From the Laboratory to Commercial Production. *Innovative Food Science and Emerging Technologies*, 9(2): 147-154.
- Perez, J.A., Gonzalez A., and Oliva J.M. 2007. Effect of Process Variables on Liquid Hot Water Pretreatment of Wheat Straw for Bioconversion to Fuel-Ethanol In A Batch Reactor. *Journal Chemistry Technology Biotechnology*, 82: 929-938.
- Purba, E. 2001. Hidrolisi Pati Ubi Kayu (*Manihot esculenta*) dan Pati Ubi jalar (*Ipomea batatas*) Menjadi Glukosa secara *Cold Process* dengan Enzim *Acid Fungal Amilase* dan Glukoamilase. *Skripsi*. Universitas Lampung. Bandar Lampung.
- Rahmasari, S. dan Putri K.P. 2011. Pengaruh Hidrolisis Enzim pada Produksi Ethanol dari Limbah Padat Tepung Tapioka (Onggok). *Skripsi*. Institut Teknologi Sepuluh November. Surabaya.
- Rehman, M.S., Ilgook K., Yusuf C., and Jong-In H. 2013. Use of Ultrasound in The Production of Bioethanol from Lignocellulosic Biomass. *Energy Education Science and Technology Part A: Energy Science and Research*, 30(2): 1391-1410.
- Seftaria, V. 2011. Studi Pendahuluan Transesterifikasi Minyak Kelapa dengan Katalis Heterogen Berbasis Silika Sekam Padi (Ti-Silika) dan Donor Gugus Metil Non-Alkohol (Dimetil Karbonat). *Skripsi*. Universitas Lampung. Bandar Lampung.
- Shewale, S.D. and Pandit A.B. 2009. Enzymatic Production of Glucose from Different Qualities of Grain Sorghum and Application of Ultrasound to Enhance The Yield. *Carbohydrate Resource*, 344: 52-60.
- Shin, H.K., Kong J.Y., Lee J.D., and Lee T.H. 2000. Synthesis of Hydroxy Benzyl- α -glucosides-catalysed Transglycosylation. *Biotechnology Letters*, 22: 321-325.
- Shin, S.J. and Sung Y.J. 2008. Improving Enzymatic Hydrolysis of Industrial Hemp (*Cannabis sativa* L.) by Electron Beam Irradiation. *Radiation Physical Chemistry*, 77: 1034-1038.
- Srinorakutara, T., Lerdluk K, and La-aied S. 2006. Approach of Cassava Waste Pretreatments for Fuel Ethanol Production in Thailand. *Journal Scientific and Research*, 31(1).

- Subekti, H. 2006. Produksi Etanol dari Hidrolisat Fraksi Selulosa Tongkol Jagung oleh *Saccharomyces cerevisiae*. *Skripsi*. Institut Pertanian Bogor. Bogor.
- Sun, Y. and Cheng J.J. 2002. Hydrolysis of Lignocellulosic Materials for Ethanol Production: A Review. *Bioresource Technology*, 83: 1-11.
- Trisnawati, E. 2008. Pengaruh Ultrasonikasi Terhadap Hidrolisis Pati dan Onggok serta Kaitannya dengan Fermentasi Menggunakan Kulit Kayu Tanaman Raru. *Skripsi*. Universitas Lampung. Bandar Lampung.
- Usman, M.A., Olanipekun O.O., and Kareem O.M. 2011. Biogas Generation from Domestic Solid Wastes in Mesophilic Anaerobic Digestion. *International Journal of Research in Chemistry and Environment*, 2: 200-205.
- Velmurugan, R. and Muthukumar K. 2011. Utilization of Sugarcane Baggase for Bioethanol Production Sono-assisted Acid Hydrolysis Approach. *Bioresource Technology*, 102(7): 119-123.
- Walker, G. 2011. Fuel Alcohol: Current Production and Future Challenges (125th Anniversary Review). *Journal Journal of the Institute of Brewing*, 117: 3-22.
- Wibowo, S. dan Nauli A. 2010. Pengembangan Bioenergi: Peluang dan Tantangan. Balai Penelitian Kehutanan. Prosiding *Seminar Sehari Hasil-Hasil Penelitian: Peran Penelitian dan Pengembangan pada Pembangunan Kehutanan di Sumatera Utara*, 211-217.
- Woiciechowski, A.L., Nitsche S., Pandey A., and Soccol C.R. 2002. Acid and Enzymatic Hydrolysis to Recover Reducing Sugar from Cassava Baggase: An Economic Study. *Brazilian Archives of Biology and Technology, An International Journal*, 45(3): 393-400.
- Wyman C.E. 2008. Cellulosic Ethanol: A Unique Sustainable Liquid Transportation Fuel. *MRS Bull*, 33: 381-383.
- Yang, C.P., Shen, Z Q., and Yu, G C. 2008. Effect and Aftereffect of Gamma Radiation Pretreatment on Enzymatic Hydrolysis of Wheat Straw. *Bioresource Technology*, 99: 6240-6245.
- Zamora, L.L., Calderón J.A.G., Vázquez, E.T., and Reynoso E.B. 2010. Optimization of Ethanol Production Process from Cassava Starch by Surface Response. *Journal Mexico Chemistry Society*, 54(4): 198-203.
- Zhang, K. and Feng H. 2010. Fermentation Potentials of *Zymomonas mobilis* and Its Application in Ethanol Production from Low-cost Raw Sweet Potato. *African Journal of Biotechnology*, 9(37): 6122-6128.

- Zhang, W., Liang, M., and Lu, C. 2007. Morphological and Structural Development of Hardwood Cellulose During Mechanochemical Pretreatment In Solid State Through Pan Milling. *Cellulose*, 14: 447-456.
- Zheng, Y., Zhongli P., and Zhang R. 2009. Overview of Biomass Pretreatment for Cellulosic Ethanol Production. *International Journal Agricultural and Biotechnology Energy*, 2(3): 51-68.