

Lampiran 4. Regresi Linier Berganda

```

REGRESSION
/MISSING LISTWISE
/STATISTICS COEFF OUTS R ANOVA
/CRITERIA=PIN(.05) POUT(.10)
/NOORIGIN
/DEPENDENT KU
/METHOD=ENTER BM PM

```

Regression

[DataSet0]

Variables Entered/Removed

Model	Variables Entered	Variables Removed	Method
1	PM, BM ^a		. Enter

a. All requested variables entered.

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.784 ^a	.615	.589	1.801082

a. Predictors: (Constant), PM, BM

b. Dependent Variable: KU

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	155.527	2	77.764	23.972	.000 ^a
	Residual	97.317	30	3.244		
	Total	252.844	32			

a. Predictors: (Constant), PM, BM

b. Dependent Variable: KU

Coefficients^a

Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.
	B	Std. Error	Beta		
1 (Constant)	.878	1.838		.478	.636
BM	.402	.109	.498	3.690	.001
PM	.331	.114	.393	2.911	.007

a. Dependent Variable: KU