

## Lampiran 2. Hasil ijo *unit root* phillips-perron pada orde *level*

### Inf (Level : Intercept)

Null Hypothesis: INF has a unit root

Exogenous: Constant

Bandwidth: 0 (Newey-West using Bartlett kernel)

	Adj. t-Stat	Prob.*
Phillips-Perron test statistic	-3.545307	0.0109
Test critical values: 1% level	-3.577723	
5% level	-2.925169	
10% level	-2.600658	

\*MacKinnon (1996) one-sided p-values.

### Inf (Level : Intercept and Trend)

Null Hypothesis: INF has a unit root

Exogenous: Constant, Linear Trend

Bandwidth: 2 (Newey-West using Bartlett kernel)

	Adj. t-Stat	Prob.*
Phillips-Perron test statistic	-4.044580	0.0137
Test critical values: 1% level	-4.165756	
5% level	-3.508508	
10% level	-3.184230	

\*MacKinnon (1996) one-sided p-values.

### Inf (Level : None)

Null Hypothesis: INF has a unit root

Exogenous: None

Bandwidth: 3 (Newey-West using Bartlett kernel)

	Adj. t-Stat	Prob.*
Phillips-Perron test statistic	-1.892113	0.0564
Test critical values: 1% level	-2.615093	
5% level	-1.947975	
10% level	-1.612408	

\*MacKinnon (1996) one-sided p-values.

**Inflai Amerika (Level : Intercept)**

Null Hypothesis: IA has a unit root

Exogenous: Constant

Bandwidth: 4 (Newey-West using Bartlett kernel)

	Adj. t-Stat	Prob.*
Phillips-Perron test statistic	-3.811580	0.0053
Test critical values: 1% level	-3.577723	
5% level	-2.925169	
10% level	-2.600658	

\*MacKinnon (1996) one-sided p-values.

**Inflasi Amerika (Level : Intercept and Trend)**

Null Hypothesis: IA has a unit root

Exogenous: Constant, Linear Trend

Bandwidth: 3 (Newey-West using Bartlett kernel)

	Adj. t-Stat	Prob.*
Phillips-Perron test statistic	-4.416169	0.0051
Test critical values: 1% level	-4.165756	
5% level	-3.508508	
10% level	-3.184230	

\*MacKinnon (1996) one-sided p-values.

**Inflasi Amerika (Level : None)**

Null Hypothesis: IA has a unit root

Exogenous: None

Bandwidth: 4 (Newey-West using Bartlett kernel)

	Adj. t-Stat	Prob.*
Phillips-Perron test statistic	-2.183490	0.0293
Test critical values: 1% level	-2.615093	
5% level	-1.947975	
10% level	-1.612408	

\*MacKinnon (1996) one-sided p-values.

**Inflasi Cina (Level : Intercept)**

Null Hypothesis: IC has a unit root

Exogenous: Constant

Bandwidth: 3 (Newey-West using Bartlett kernel)

	Adj. t-Stat	Prob.*
Phillips-Perron test statistic	-2.568556	0.1066
Test critical values: 1% level	-3.577723	
5% level	-2.925169	
10% level	-2.600658	

\*MacKinnon (1996) one-sided p-values.

**Inflasi Cina (Level : Intercept and Trend)**

Null Hypothesis: IC has a unit root

Exogenous: Constant, Linear Trend

Bandwidth: 3 (Newey-West using Bartlett kernel)

	Adj. t-Stat	Prob.*
Phillips-Perron test statistic	-2.848843	0.1880
Test critical values: 1% level	-4.165756	
5% level	-3.508508	
10% level	-3.184230	

\*MacKinnon (1996) one-sided p-values.

**Inflasi Cina (Level : None)**

Null Hypothesis: IC has a unit root

Exogenous: None

Bandwidth: 3 (Newey-West using Bartlett kernel)

	Adj. t-Stat	Prob.*
Phillips-Perron test statistic	-1.710150	0.0825
Test critical values: 1% level	-2.615093	
5% level	-1.947975	
10% level	-1.612408	

\*MacKinnon (1996) one-sided p-values.

**Inflasi Jepang (Level : Intercept)**

Null Hypothesis: IJ has a unit root

Exogenous: Constant

Bandwidth: 0 (Newey-West using Bartlett kernel)

	Adj. t-Stat	Prob.*
Phillips-Perron test statistic	-2.589429	0.1023
Test critical values: 1% level	-3.577723	
5% level	-2.925169	
10% level	-2.600658	

\*MacKinnon (1996) one-sided p-values.

**Inflasi Jepang (Level : Intercept and Trend)**

Null Hypothesis: IJ has a unit root

Exogenous: Constant, Linear Trend

Bandwidth: 0 (Newey-West using Bartlett kernel)

	Adj. t-Stat	Prob.*
Phillips-Perron test statistic	-2.558450	0.3003
Test critical values: 1% level	-4.165756	
5% level	-3.508508	
10% level	-3.184230	

\*MacKinnon (1996) one-sided p-values.

**Inflasi Jepang (Level : None)**

Null Hypothesis: IJ has a unit root

Exogenous: None

Bandwidth: 0 (Newey-West using Bartlett kernel)

	Adj. t-Stat	Prob.*
Phillips-Perron test statistic	-2.569672	0.0113
Test critical values: 1% level	-2.615093	
5% level	-1.947975	
10% level	-1.612408	

\*MacKinnon (1996) one-sided p-values.

**PDB (Level : Intercept)**

Null Hypothesis: PDB has a unit root

Exogenous: Constant

Bandwidth: 10 (Newey-West using Bartlett kernel)

	Adj. t-Stat	Prob.*
Phillips-Perron test statistic	2.188699	0.9999
Test critical values: 1% level	-3.577723	
5% level	-2.925169	
10% level	-2.600658	

\*MacKinnon (1996) one-sided p-values.

**PDB (Level : Intercept and Trend)**

Null Hypothesis: PDB has a unit root

Exogenous: Constant, Linear Trend

Bandwidth: 30 (Newey-West using Bartlett kernel)

	Adj. t-Stat	Prob.*
Phillips-Perron test statistic	-3.005336	0.1417
Test critical values: 1% level	-4.165756	
5% level	-3.508508	
10% level	-3.184230	

\*MacKinnon (1996) one-sided p-values.

**PDB (Level : None)**

Null Hypothesis: PDB has a unit root

Exogenous: None

Bandwidth: 10 (Newey-West using Bartlett kernel)

	Adj. t-Stat	Prob.*
Phillips-Perron test statistic	11.04111	1.0000
Test critical values: 1% level	-2.615093	
5% level	-1.947975	
10% level	-1.612408	

\*MacKinnon (1996) one-sided p-values.