

DAFTAR PUSTAKA

- Abdel-Raheem, IT. 2010. Greentea ameliorates renal oxidative damage induced by gentamicin in rats. *Pak J Pharmaceut Sci.* (23) :21-28.
- Aggarwal, B.B., A.B. Kunnumakkara., K.B. Harikumar. 2008. Potential of spice-derived phytochemicals for cancer prevention. *Planta Med.*
- Al-Ghamdi, M.S. 2003. Protective effect of *Nigella sativa* seeds against carbon tetrachloride-induced liver damage. *The American Journal of Chinese Medicin.* (31) :721-728.
- Al-Ghasham, A. 2008. Study of protective effect of date and *Nigella sativa* on aflatoxin B₁ toxicity. *Int J Health S.* 2(2); 26-44.
- Alsaif, M.A. 2007. Effect of thymoquinone on thanol-induced hepatotoxicity in wistar rats. *J Med Sci.* 7:11164-1170.
- Anonim. 2013. Taxonomy of *Rattus novergicus*.
<http://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?lvl=0&id=10116>. Diakses tanggal 11 Januari 2013.
- Anonim. 2012. Sejarah dan Manfaat Habbatusauda.
<http://rindusunnah.com/index.php/kesehatan/643-sejarah-a-manfaat-habbatusauda>. Diakses tanggal 10 Oktober 2012.
- B.H, Ali. dan G. Blunden. 2003. Pharmacological and toxicological properties of *Nigella sativa*. *Phytother Res*, 17(4), pp. 299-305.
- Badary, O.A., R.A. Taha., A.M. El-Din., M.H. Bdel-Wahab. 2003. Thymoquinone is a potent superoxide anion scavenger. *Drug Chem Toxicol.* (26) :87–98.
- Badary, O.A., A.B. bdel-Naim., M.H. bdel-Wahab. 2000. The influence of thymoquinone on doxorubicin-induced hyperlipidemic nephropathy in rats. *Toxicology.* (143) :219–226.
- Baratawidjaja, K.G. dan I. Rengganis. 2012. *Imunologi Dasar*. Balai Penerbit FKUI. Jakarta.

- Basha, A.L., M.S. Rashed., H.Y. Aboul-Enein. 1995. Thin layer chromatographic assay of thymoquinone in black seed oil and identification of dithymoquinone and thymol. *J Liq Chromatogr.* (18):105–115.
- Bayrak, O., N. Bavbek., O.F. Karatas. 2008. *Nigella sativa* protects against ischaemia/reperfusion injury in rat kidneys. *Nephrol Dial Transplant.* (23): 2206-2212.
- Bouayed, J. dan T. Bohn. 2010. Exogenous antioxidants—Double-edged swords in cellular redox state : Health beneficial effects at physiologic doses versus deleterious effects at high doses. *Oxid Med Cell Longev.* 3(4): 228–237.
- Boron, W.F. dan L.B. Emile. 2005. *Medical Physiology.* Elsevier. Philadelphia.
- Brunton, L.L., J.S. Lazo., K.L. Parker. 2006. *Goodman and Gilman's The Pharmacological Basis of Therapeutic.* McGraw-Hill. New York.
- Dahlan, M.S. 2009. *Statistik untuk Kedokteran dan Kesehatan.* Salemba Medika. Jakarta.
- Dorland. 2011. *Kamus Saku Kedokteran Dorland.* Ed. 28. EGC. Jakarta.
- El-Shenawy, N.S., M.F. Soliman., S.I. Reyad. 2008. The effect of antioxidant properties of aqueous garlic extract and *Nigella sativa* as anti-schistosomiasis agents in mice. *Rev Inst Med Trop Sao Paulo.* (50): 29-36.
- Eroschenko, V.P. 2010. *Atlas Histologi Di Fiore dengan Korelasi Fungsional.* Ed.9. EGC. Jakarta.
- Faiz, O. dan D. Moffat. 2008. *At a Glance series Anatomi.* Erlangga. Jakarta.
- Hardjosaputra, S.L.P., L. Purwanto., T. Kemalasari. 2008. *Daftar Obat Indonesia.* Ed 11. Nusantara Lestari Ceriapatama. Jakarta.
- Hosseinzadeh, H. 2007. Effect of thymoquinone and *Nigella sativa* seeds oil on lipid peroxidation level during global cerebral ischemia reperfusion injury in rat hippocampus. *Phytomedicine* .(14): 621-627.
- Isroi. 2010. *Biology Rat (Rattus norvegicus).* <http://isroi.wordpress.com>. Diakses tanggal 26 September 2012.
- Junqueira, L., C. Jose., O. Roberto. 2007. *Histologi Dasar.* EGC. Jakarta.
- Kanter, M., O. Coskun., M. Budancamanak. 2005. Hepatoprotective effects of *Nigella sativa* L and *Urtica dioica* L on lipid peroxidation, antioxidant enzyme systems and liver enzymes in carbon tetrachloride-treated rats. *World J Gastroenterol.* (11) : 6684-6688.

- Kanter, M., H. Demir., C. Karakaya. 2005. Gastroprotective activity of *Nigella sativa* L oil and its constituent, thymoquinone against acute alcohol-induced gastric mucosal injury in rats. *World J Gastroenterol.* (11): 6662–6666.
- Katzung, B.G. 2010. *Farmakologi Dasar dan Klinik*. Edisi 10. EGC. Jakarta
- Khan, M.R., I. Badar., A. Siddiquah. 2011. Prevention of hepatorenal toxicity with *Sonchus asper* in gentamicin treated rats. *BMC Complementary and Alternative Medicine.* 11:113.
- Khan, S.A., A. Priyamvada., N. Farooq. 2009. Protective effect of green tea extract on gentamicin-induced nephrotoxicity and oxidative damage in rat kidney. *Pharmacol Res.* (59):254-262.
- Khasanah, N. 2009. Pengaruh Pemberian Ekstrak Jintan Hitam (*Nigella sativa*) terhadap Respon Proliferasi Limfosit Limpa Mencit BALB/C yang Diinfeksi *Salmonella typhimurium* [tesis]. Fakultas Kedokteran Universitas Diponegoro. Semarang.
- Kuntz, E. dan H.D. Kuntz. 2006. *Hepatology: Principles and Practice*. 2nd Ed. Springer Medizine Verlag Hiedelburg. Berlin.
- Miller, R.D. 2005. *Miller's Anesthesia, 6th ed.* Elsevier. California.
- Mohamed, A., A. Shoker., F. Bendjelloul. 2003. Improvement of experimental allergic encephalomyelitis (EAE) by thymoquinone; an oxidative stress inhibitor. *Biomed Sci Instrum.* (39):440–445.
- Moore, K. dan M. Agur. 2007. *Essential Clinical Anatomy*. Lippincott Williams and Wilkins. Toronto.
- Ngatidjan. 2006. *Metode Laboratorium dalam Toksikologi*. Bagian farmakologi dan toksikologi Fakultas Kedokteran UGM. Yogyakarta.
- Padhye, S., S. Banerjee., A. Ahmad . 2008. From here to eternity - the secret of pharaohs: Therapeutic potential of black cumin seeds and beyond. *Cancer Ther.* 6(b): 495–510.
- Price, S.A. dan L.M. Wilson. 2006. *Patofisiologi: Konsep Klinis dan Penyakit*. EGC. Jakarta.
- Randhawa, M.A. 2011. Anticancer activity of *Nigella sativa* (black seed) - a review. *Am J Chin Med.* 39(6):1075-91.
- Robbins, S.L., V. Kumar., S.R. Cotran. 2007. *Buku Ajar Patologi Robbins*. Ed 7. EGC. Jakarta.

- Safa, J., H. Argani., B. Bastani. 2010. Protective effect of grape seed extract on gentamicin- induced acute kidney injury. *Iran J Kid Dis.* (4) :285-291.
- Sastroatmojo, S. dan S. Ismael. 2008. *Dasar-dasar Metodologi Penelitian Klinis.* Sagung Seto. Jakarta.
- Singh, P., M.M. Srivastava., L.D. Khemani. 2009. Renoprotective effects of andrographolid paniculata (Burm. F.) *Nees In Rats. Department of Chemistry Dayalbagh Educational Institute. India.* 114:136-139.
- Sudoyo, A.W., B. Setiyohadi., I. Alwi., S. Setiati. 2007. *Buku Ajar Ilmu Penyakit Dalam.* Jilid I.Pusat Penerbitan Depeartemen Ilmu Penyakit Dalam Fakultas Kedokteran Indonesia. Jakarta.
- Sulistianto, D.E., M. Harini., N.S. Handajani. 2004. Pengaruh Pemberian Ekstrak Buah Mahkota Dewa (*Phaleria macrocarpa* (Scheff) Boerl) terhadap Struktur Histologis Hepar Tikus Putih (*Rattus norvegicus* L.) setelah Perlakuan dengan Karbon Tetraklorida (CCl₄) Secara Oral. Jurusan Biologi FMIPA Universitas Sebelas Maret Surakarta. Surakarta.
- Upaganlawar, A., M. Farswan., S. Rathod. 2006. Modification of biochemical parameters of gentamicin nephrotoxicity by coenzymes Q10 and green tea in rat. *Ind J Exp Biol.* (44):416-418.
- Utami, F.S., H. Tamad., Z.S. Sulistyoyo. 2011. Gambaran Histopatologi Hepatosit Tikus Putih setelah Pemberian Jintan Hitam Dosis 500 mg/kgBB, 1000 mg/kgBB, dan 1500 mg/kgBB Selama 21 Hari (subkronik). *Mandala of Health.* 5 (3).
- Widjaja, H. 2008. *Anatomi Abdomen.*EGC. Jakarta.
- Yildiz, F., S. Coban., A. Terzi., M. Ates., N. Aksoy., H. Cakir., A.R. ocak., M. Bitiren. 2008. *Nigella sativa* relieves the deleterious effects of ischemia reperfusion injury on liver. *World J Gastroenterol.* 14(33): 5204–5209.
- Yunadir. 2008. *Buku Panduan Laboratorium Histopatologi.* Laboratorium Patologi Anatomi Fakultas Kedokteran Universitas Gajah Mada. Yogyakarta.